

Published Articles

The following is a list of peer reviewed publications in which Golden Helix has been cited.

2016

- Bai, J et al. (2016) A genome-wide association analysis of chromosomal aberrations and Hirschsprung disease. *Livestock Science*, doi: 10.1016/j.trsl.2016.06.001
- Muniz, M et al. (2016) Application of genomic data to assist a community-based breeding program: A preliminary study of coat color genetics in morada nova sheep. *Livestock Science*, doi: 10.1016/j.livsci.2016.06.006
- Zahari, Z et al. (2016) Relationship between ABCB1 polymorphisms and serum methadone concentration in patients undergoing methadone maintenance therapy (MMT). *The American Journal of Drug and Alcohol Abuse*, doi: 10.3109/00952990.2016.1172078
- Reis, L et al. (2016) Whole Exome Sequencing Identifies Multiple Diagnoses in Congenital Glaucoma with Systemic Anomalies. *Clinical Genetics*, doi: 10.1111/cge.1281
- Porath, B et al. (2016) Mutations in GANAB, Encoding the Glucosidase IIa Subunit, Cause Autosomal-Dominant Polycystic Kidney and Liver Disease. *BMC Genomics*, doi: 10.1016/j.ajhg.2016.05.004
- Fleming, D et al. (2016) Genomic analysis of Ugandan and Rwandan chicken ecotypes using a 600 k genotyping array. *American Journal of Human Genetics*, doi: 10.1186/s12864-016-2711-5
- Ko, Y et al. (2016) CRP and SAA1 Haplotypes Are Associated with Both C-Reactive Protein and Serum Amyloid A Levels: Role of Suppression Effects. *Mediators of Inflammation*, doi: <http://dx.doi.org/10.1155/2016/5830361>
- Zhou, Y et al. (2016) Genome-wide CNV analysis reveals variants associated with growth traits in *Bos indicus*. *BMC Genomics*, doi: 10.1186/s12864-016-2461-4
- Palmer, R et al. (2016) Evidence of Shared Genome-Wide Additive Genetic Effects on Interpersonal Trauma Exposure and Generalized Vulnerability to Drug Dependence in a Population of Substance Users. *Journal of Traumatic Stress*, doi: 10.1002/jts.22103
- Takeuchi, M et al. (2016) A single endoplasmic reticulum aminopeptidase-1 protein allotype is a strong risk factor for Behçet's disease in HLA-B*51 carriers. *Annals of the Rheumatic Diseases*, doi: 10.1136/annrheumdis-2015-209059
- Klicheski, A et al. (2016) Australian Cattle Dogs with Neuronal Ceroid Lipofuscinosis are Homozygous for a CLN5 Nonsense Mutation Previously Identified in Border Collies. *Journal of Veterinary Internal Medicine*, doi: 10.1111/jvim.13971
- Johar, A et al. (2016) Definition of mutations in polyautoimmunity. *Journal of Autoimmunity*, doi: 10.1016/j.jaut.2016.05.003
- Tan, P et al. (2016) Interactive Exploration, Analysis, and Visualization of Complex Phenome–Genome Datasets with ASPIREdb. *Human Mutation*, doi: 10.1002/humu.23011
- Lapin, V et al. (2016) Regulating whole exome sequencing as a diagnostic test. *Human Genetics*, doi: 10.1007/s00439-016-1677-3
- Wu, S et al. (2016) Interactive effects of C-reactive protein levels on the association between APOE variants and triglyceride levels in a Taiwanese population. *Lipids in Health and Disease*, doi: 10.1186/s12944-016-0262-z
- Cooper, T et al. (2016) Genomic evaluation, breed identification, and population structure of Guernsey cattle in North America, Great Britain, and the Isle of Guernsey. *Journal of Dairy Science*, doi: <http://dx.doi.org/10.3168/jds.2015-10445>
- Alexander, K et al. (2016) Phenotypic and molecular characteristics associated with various domains of quality of life in oncology patients and their family caregivers. *The Pharmacogenomics Journal*, doi: 10.1007/s11136-016-1310-x
- Kringel, D. et al. (2016) Emergent biomarker derived from next-generation sequencing to identify pain patients requiring uncommonly high opioid doses. *The Pharmacogenomics Journal*, doi: 10.1038/tpj.2016.28
- Pearson, R. et al. (2016) Additive genetic contribution to symptom dimensions in major depressive disorder. *Journal of Abnormal Psychology*, doi: <http://dx.doi.org/10.1037/abn0000161>
- Zhang, J. et al. (2016) A Founder Mutation in VPS11 Causes an Autosomal Recessive Leukoencephalopathy Linked to Autophagic Defects. *PLOS Genetics*, doi: <http://dx.doi.org/10.1371/journal.pgen.1005848>
- Brym, P. et al. (2016) Genome-wide association study for host response to bovine leukemia virus in Holstein cows. *Veterinary Immunology and Immunopathology*, doi: 10.1016/j.vetimm.2016.04.012
- Arcos-Burgos, M. et al. (2016) Neural Plasticity in Obesity and Psychiatric Disorders. *Neural Plasticity*, doi: 10.1038/gene.2016.17
- Ko, Y. et al. (2016) CRP and SAA1 haplotypes are associated with both C-reactive protein and serum amyloid A levels: Role of Suppression effects.
- Ahmed, R. et al. (2016) Association of DPP4 Gene

- Polymorphisms with Type 2 Diabetes Mellitus in Malaysian Subjects. *PLOS one*, doi: <http://dx.doi.org/10.1371/journal.pone.0154369>
- Rozenkrantz, L. et al. (2016) SEPT14 Is Associated with a Reduced Risk for Parkinson's Disease and Expressed in Human Brain. *Journal of Molecular Neuroscience*, doi: 10.1007/s12031-016-0738-3
 - Assadi, G. et al. (2016) LACC1 polymorphisms in inflammatory bowel disease and juvenile idiopathic arthritis. *Genes & Immunity*, doi: 110.1038/gene.2016.17
 - Assadi, G. et al. (2016) LACC1 polymorphisms in inflammatory bowel disease and juvenile idiopathic arthritis. *Genes & Immunity*, doi: 110.1038/gene.2016.17
 - Fatemi, A. et al. (2016) GWAS analysis of suicide attempt in schizophrenia: Main genetic effect and interaction with early life trauma. *Neuroscience Letters*, doi: 10.1016/j.neulet.2016.04.043
 - Wang, K. et al. (2016) Model Selection in Survival Analysis of EXT2 Gene Polymorphisms with Age at Onset of Type 2 Diabetes. *SciDOC Publishers*
 - Muller, K. et al. (2016) Targeted next-generation sequencing detects a high frequency of potentially actionable mutations in metastatic breast cancers. *Experimental and Molecular Pathology*, doi: 10.1016/j.yexmp.2016.04.002
 - Cropp, C. et al. (2016) Rare variant discovery in known cancer genes from whole-exome sequencing of African American hereditary prostate cancer families. *Cancer Epidemiology Biomarkers & Prevention*, doi: 10.1158/1538-7755.DISP15-B40
 - Geisel, M. et al. (2016) Update of the effect estimates for common variants associated with carotid intima media thickness within four independent samples: The Bonn IMT Family Study, the Heinz Nixdorf Recall Study, the SAPHIR Study and the Bruneck Study. *Atherosclerosis*, doi: <http://dx.doi.org/10.1016/j.atherosclerosis.2016.03.042>
 - Knaust, J. et al. (2016) Epistatic interactions between at least three loci determine the "rat-tail" phenotype in cattle. *Genetics Selection Evolution*, doi: 10.1186/s12711-016-0199-8
 - Staiger, E. et al. (2016) Host genetic influence on papillomavirus-induced tumors in the horse. *International Journal of Cancer*, doi: 10.1002/ijc.30120
 - Kroigard, A. et al. (2016) Evaluation of Nine Somatic Variant Callers for Detection of Somatic Mutations in Exome and Targeted Deep Sequencing Data. *PLOS one*, doi: 10.1371/journal.pone.0151664
 - Staiger, E. et al. (2016) Loci impacting polymorphic gait in the Tennessee Walking Horse. *Journal of Animal Science*
 - Xu, K. et al. (2016) Population-genetic properties of differentiated copy number variations in cattle. *Scientific Reports*, doi: 10.1038/srep23161
 - Kornilov, S. et al. (2016) Genome-Wide Association and Exome Sequencing Study of Language Disorder in an Isolated Population. *Pediatrics*
 - Bagheri, H. et al. (2016) Identifying candidate genes for 2p15p16.1 microdeletion syndrome using clinical, genomic, and functional analysis. *JCI Insight*, doi: 10.1172/jci.insight.85461
 - Fong, K. et al. (2016) A mutation disrupting TET1 activity alters the expression of genes critical for neural tube closure in the tuft mouse. *Disease Models & Mechanisms*, doi: 10.1242/dmm.024109
 - Ma, X. et al. (2016) Polymorphism rs7278468 is associated with Age-related cataract through decreasing transcriptional activity of theCRYAA promoter. *Scientific Reports*, doi: 10.1038/srep23206
 - Matakova, T. et al. (2016) Associations of CYP1A2 Polymorphisms with the Risk Haplotypes in Lung Cancer in the Slovak Population. *Advances in Experimental Medicine and Biology*, doi: 10.1007/5584_2016_220
 - Santos, M. et al. (2016) The role of IL18-607C > A and IL18-137G > C promoter polymorphisms in antidepressant treatment phenotypes: a preliminary report. *Neuroscience Letters*, doi: 10.1016/j.neulet.2016.03.026
 - Halasova, E. et al. (2016) Polymorphisms of Selected DNA Repair Genes and Lung Cancer in Chromium Exposure. *Advances in Experimental Medicine and Biology*, doi: 10.1007/5584_2016_218
 - Biernacka, A. et al. (2016) The potential utility of remaining results of somatic mutation testing: KRAS status in lung adenocarcinoma. *Cancer Genetics*, doi: 10.1016/j.cancergen.2016.03.001
 - Staiger, E. et al. (2016) Genome-wide association mapping of heritable temperament variation in the tennessee walking horse. *Genes, Brain and Behavior*, doi: 10.1111/gbb.12290
 - Veerappa, A. et al. (2016) Copy Number Variation of UGT 2B Genes in Indian Families Using Whole Genome Scans. *Journal of Nucleic Acids*, doi: 10.1155/2016/1648527
 - Fard, D. et al. (2016) Candidate gene variants of the immune system and sudden infant death syndrome. *International Journal of Legal Medicine*, doi: 10.1007/s00414-016-1347-y
 - Turner, S. et al. (2016) The Pitfalls of Companion Diagnostics: Evaluation of Discordant EGFR Mutation Results from a Clinical Laboratory and a Central Laboratory. *The Journal of Molecular Diagnostics*, doi: 10.1016/j.jmoldx.2015.12.004
 - Yoo, S. et al. (2016) Polymorphism of Nitric Oxide Synthase 1 Affects the Clinical Phenotypes of Ischemic Stroke in

- Korean Population. *KoreaMed Synapse*, doi: 10.5535/arm.2016.40.1.102
- Kim, D. et al. (2016) Interleukin-6 Receptor Polymorphisms Contribute to the Neurological Status of Korean Patients with Ischemic Stroke. *Journal of Korean Medical Science*, doi: 10.3346/jkms.2016.31.3.430
 - Stevenson, J. et al. (2016) Antipsychotic pharmacogenomics in first episode psychosis: a role for glutamate genes. *Translational Psychiatry*, doi: 10.1038/tp.2016.10
 - Hardiman, K. et al. (2016) Intra-tumor genetic heterogeneity in recatal cancer. *Nature* doi: 10.1038/labinvest.2015.131
 - Nguyen, L. et al. (2016) Effects of TEX11 and Polymorphisms on Reproduction and Growth Traits in Australian Beed Cattle. *PAABG*
 - Fortes, M. et al. (2016) Non-Synonymous Polymorphism in Helb is Associated With Male and Female Reproductive Traits in Cattle. *PAABG*
 - Muchadeyi, F. et al. (2016) Runs Of Homozygosity In Swakara Pelt Producing Sheep: Implications On Sub-Vital Performance. *PAABG*
 - Khan, S. et al. (2016) RNA sequencing reveals the consequences of a novel insertion in dedicator of cytokinesis-8. *Journal of Allergy and Clinical Immunology*, doi: 10.1016/j.jaci.2015.11.033
 - Villarreal-Martínez, A. et al. (2016) Candidate gene polymorphisms and risk of psoriasis: A pilot study. *Experimental and Therapeutic Medicine*, doi: 10.3892/etm.2016.3066
 - Abreu, F. et al. (2016) Effective quality management practices in routine clinical next-generation sequencing. *Clinical Chemistry and Laboratory Medicine*, doi: 10.1515/cclm-2015-1190
 - Qiao, Y. et al. (2016) Whole Exome Sequencing in Recurrent Early Pregnancy Loss (RPL). *Molecular Human Reproduction*, doi: 10.1093/molehr/gaw008
 - Zahari, Z. et al. (2016) The AC/AG Diplotype for the 118A>G and IVS2 + 691G>C Polymorphisms of OPRM1 Gene is Associated with Sleep Quality Among Opioid-Dependent Patients on Methadone Maintenance Therapy. *Pain and Therapy*, doi: 10.1007/s40122-016-0044-3
 - Weber, J. et al. (2016) Sentieon DNA pipeline for variant detection - Software-only solution, over 20x faster than GATK 3.3 with identical results. *PeerJ Preprints*
 - Badar, S. et al. (2016) Identification of novel mutations in hemochromatosis genes by targeted next generation sequencing in Italian patients with unexplained iron overload. *American Journal of Hematology*, doi: 10.1002/ajh.24304
 - Cheng, S. et al. (2016) Association of ABCG2 rs2231142-A allele and serum uric acid levels in male and obese individuals in a Han Taiwanese population. *Journal of the Formosan Medical Association*, doi: 10.1016/j.jfma.2015.12.002
 - Patil, G. et al. (2016) Genomic-assisted haplotype analysis and the development of high-throughput SNP markers for salinity tolerance in soybean. *Scientific Reports*, doi: 10.1038/srep19199
 - Nishisako, M. et al. (2016) SLC1A1 Gene Variants and Normal Tension Glaucoma: An Association Study. *Ophthalmic Genetics*, doi: 10.3109/13816810.2015.1028649
 - McCoy, A. et al. (2016) Identification and validation of risk loci for osteochondrosis in standardbreds. *BioMed Central*, doi: 10.1186/s12864-016-2385-z
 - Liu, Y. et al. (2016) Focused Analysis of Exome Sequencing Data for Rare Germline Mutations in Familial and Sporadic Lung Cancer. *Journal of Thoracic Oncology*, doi: http://dx.doi.org/10.1016/j.jtho.2015.09.015
 - Goldstein, O. et al. (2016) OPTN 691_692insAG is a founder mutation causing recessive ALS and increased risk in heterozygotes. *Neurology*, doi: http://dx.doi.org/10.1212/WNL.0000000000002334
 - Friedenberg, G et al. (2016) Evaluation of a DLA-79 allele associated with multiple immune-mediated diseases in dogs. *Immuno Genetics*, doi: 10.1007/s00251-015-0894-6
 - Ho, K. et al. (2016) Chromosomal microarray testing identifies a 4p terminal region associated with seizures in Wolf-Hirschhorn syndrome. *Journal of Medical Genetics*, doi: 10.1136/jmedgenet-2015-103626
 - Morgan, E et al. (2016) Identification of Genetic Markers for Ventricular Septal Defects in Arabian Horses. *Vetmed*
 - Werner, P. et al. (2016) MESP1 Mutations in Patients with Congenital Heart Defects. *Human Mutation*, doi: 10.1002/humu.22947
- 2015**
- Pussegoda, K. et al. (2015) Replication of TPMT and ABCC3 genetic variants highly associated with cisplatin-induced hearing loss in children. *Clinical Pharmacology & Therapeutics*, doi: 10.1038/clpt.2013.80.
 - Bailey, D. et al. (2015) Genetic Influences on Cattle Grazing Distribution: Association of Genetic Markers with Terrain Use in Cattle. *Elsevier*, doi: 10.1016/j.rama.2015.02.001
 - Clemente-Vicario, F. et al. (2015) Human Genetic Relevance and Potent Antitumor Activity of Heat Shock Protein 90 Inhibition in Canine Lung Adenocarcinoma Cell Lines. *PLOS one*, doi: 10.1371/journal.pone.0142007
 - Moravčíková, N. et al. (2015) Estimation of genomic variation

- in cervids using cross-species application of SNP arrays. *Poljoprivreda/Agriculture*, doi: 10.18047/poljo.21.1.sup.6
- Dolezal, M. et al. (2015) GWAS on Imputed high density SNP genotypes on the Italian and Swiss Brown dairy cattle population for milk somatic cell count.
 - Velez, J. et al. (2015) A Mutation in DAOA Modifies the Age of Onset in PSEN1 E280A Alzheimer's Disease. *Hindawi Publishing Corporation*, Article ID 694726
 - Hardiman, K. et al. (2015) Intra-tumor genetic heterogeneity in rectal cancer. *Laboratory Investigation*, doi: 10.1038/labinvest.2015.131
 - Guo, T. et al. (2015) Histone Modifier Genes Alter Conotruncal Heart Phenotypes in 22q11.2 Deletion Syndrome. *AJHG*, doi: 10.1016/j.ajhg.2015.10.013
 - Kanemaki, N. et al. (2015) Study of association of PAX6 polymorphisms with susceptibility to high myopia in a Japanese population. *Clin Ophthalmol*, doi: 10.2147/OPHT.S95167
 - Mastronardi, AC. et al. (2015) Linkage and association analysis of ADHD endophenotypes in extended and multigenerational pedigrees from a genetic isolate. *Epilepsy and Behavior*, doi: 10.1038/mp.2015.172
 - Makina, S. et al. (2015) Genome-wide scan for selection signatures in six cattle breeds in South Africa. *Genetics Selection Evolution*, doi: 10.1186/s12711-015-0173-x
 - Babushok, D. et al. (2015) Disrupted lymphocyte homeostasis in hepatitis-associated acquired aplastic anemia is associated with short telomeres. *American Journal of Hematology*, doi: 10.1002/ajh.24256
 - Velez, J. et al. (2015) APOE*E2 allele delays age of onset in PSEN1 E280A Alzheimer's disease. *Molecular Psychiatry*, doi: 10.1038/mp.2015.177
 - Thun, E. et al. (2015) Circadian clock gene variants and insomnia, sleepiness, and shift work disorder. *Sleep and Biological Rhythms*, doi: 10.1007/s41105-015-0023-9
 - Cotteni, E. et al. (2015) Genetic and Functional Investigation of Inherited Neuropathies. *MRC Centre for Neuromuscular Diseases*
 - Powers, N. et al. (2015) The regulatory element READ1 epistatically influences reading and language, with both deleterious and protective alleles. *Journal of Medical Genetics*, doi: 10.1136/jmedgenet-2015-103418
 - McCrow, J. et al. (2015) Spectrum of mitochondrial genomic variation and associated clinical presentation of prostate cancer in South African men. *The Prostate*, doi: 10.1002/pros.23126
 - Sapkota, B. et al. (2015) Genome-wide Association Study of 25(OH) Vitamin D Concentrations in Punjabi Sikhs: Results of the Asian Indian Diabetic Heart Study. *The Journal of Steroid Biochemistry and Molecular Biology*, doi: 10.1016/j.jsbmb.2015.12.014 Abstract
 - Warburton, A. et al. (2015) NRSF and BDNF polymorphisms as biomarkers of cognitive dysfunction in adults with newly diagnosed epilepsy. *Epilepsy and Behavior*, doi: http://dx.doi.org/10.1016/j.yebeh.2015.11.013
 - Liu, S. et al. (2015) High-density interspecific genetic linkage mapping provides insights into genomic incompatibility between channel catfish and blue catfish. *Animal Genetics*, doi: 10.1111/age.12372
 - Ho, Y. et al. (2015) Effects of obesity on the association between common variations in the TBX5 gene and matrix metalloproteinase 9 levels in Taiwanese. *Tzu Chi Medical Journal*, doi: 10.1016/j.tcmj.2015.09.005
 - Kim, L. et al. (2015) Genome-wide association study with the risk of schizophrenia in a Korean population. *American Journal of Medical Genetics*, doi: 10.1002/ajmg.b.32400
 - Lee, K. et al. (2015) Circadian regulation gene polymorphisms are associated with sleep disruption and duration, and circadian phase and rhythm in adults with HIV. *The Journal of Biological and Medical Rhythm Research*, doi: 10.3109/07420528.2015.1087021
 - Hakansson, A. et al. (2015) Association between polymorphisms in NOS3 and KCNH2 and social memory. *Frontiers in Neuroscience*, doi: 10.3389/fnins.2015.00393
 - Velez, J. et al. (2015) A Mutation in DAOA Modifies the Age of Onset in PSEN1 E280A Alzheimer's Disease. *Neural Plasticity*, doi: 10.1186/s13054-015-1084-5
 - Bhatraju, P. et al. (2015) Associations between single nucleotide polymorphisms in the FAS pathway and acute kidney injury. *Critical Care*, doi: 10.1186/s13054-015-1084-5
 - Namjou, B. et al. (2015) A GWAS Study on Liver Function Test Using eMERGE Network Participants. *PLOS One*, doi: 10.1371/journal.pone.0138677
 - Ernst, A. et al. (2015) The PHF6 Mutation c.1A>G; pM1V Causes Börjeson-Forsman-Lehmann Syndrome in a Family with Four Affected Young Boys. *Molecular Syndromology*, doi: 10.1159/000441047
 - Remmers, E. et al. (2015) Identification of ERAP1 protein allotypes in the Turkish population and evaluation of their contributions to Behçet's disease risk. *Pediatr Rheumatol Online Journal*, doi: 10.1186/1546-0096-13-S1-P14
 - Walker, L. et al. (2015) The Role of Constitutional Copy Number Variants in Breast Cancer. *Microarrays*, doi: 10.3390/microarrays4030407
 - Popp, N. et al. (2015) Functional single nucleotide

- polymorphism in IL-17A 3' untranslated region is targeted by miR-4480 in vitro and may be associated with age-related macular degeneration. *Environmental and Molecular Mutagenesis*, doi: 10.1002/em.21982
- Jones, M. et al. (2015) Systems Genetics Reveals the Functional Context of PCOS Loci and Identifies Genetic and Molecular Mechanisms of Disease Heterogeneity. *PLOS Genetics* , doi: 10.1371/journal.pgen.1005455
 - Sokol, J. et al. (2015) Genetic variations of the GP6 regulatory region in patients with sticky platelet syndrome and miscarriage. *Expert Review of Hematology* , doi: 10.1586/17474086.2015.1083417
 - Srikanth, P. et al. (2015) Genomic DISC1 Disruption in hiPSCs Alters Wnt Signaling and Neural Cell Fate. *Cell Reports* , doi: 10.1016/j.celrep.2015.07.061
 - Ji, X. et al. (2015) The Role of Haplotype in 15q25.1 Locus in Lung Cancer Risk: Results of Scanning chromosome 15. *Oxford Journals* , doi: 10.1093/carcin/bgv118
 - Gyu Eun, Y. et al. (2015) Abstract 5280: A polymorphism of VEGFA is associated with susceptibility to extrathyroidal invasion of papillary thyroid cancer. *The Journal of Cancer Research* , doi: 10.1158/1538-7445.AM2015-5280
 - Simpfendorfer, K. et al. (2015) Autoimmune disease associated haplotypes of BLK exhibit lowered thresholds for B-cell activation and expansion of immunoglobulin class switched B-cells. *Arthritis & Rheumatology* , doi: 10.1002/art.39301
 - Kartashov, A. et al. (2015) BioWardrobe: an integrated platform for analysis of epigenomics and transcriptomics data. *Arthritis Research & Therapy* , doi: 10.1186/s13075-015-0715-1
 - Wang, L. et al. (2015) Copy number variation-based genome wide association study reveals additional variants contributing to meat quality in Swine. *Scientific Reports* , doi: 10.1038/ng.3374
 - Folefac, A. et al. (2015) A coding variant in RARG confers susceptibility to anthracycline-induced cardiotoxicity in childhood cancer. *Nature Genetics* , doi: 10.1038/ng.3374
 - Gan-or, Z. et al. (2015) The Alzheimer disease BIN1 locus as a modifier of GBA -associated Parkinson disease. *Journal of Neurology* , doi: 10.1007/s00415-015-7868-3
 - Visscher, H. et al. (2015) Genetic variants in SLC22A17 and SLC22A7 are associated with anthracycline-induced cardiotoxicity in children. *Pharmacogenomics* , doi: 110.2217/pgs.15.61
 - Oussalah, A. et al. (2015) Exome-Wide Association Study Identifies New Low-Frequency and Rare UGT1A1 Coding Variants and UGT1A6 Coding Variants Influencing Serum Bilirubin in Elderly Subjects: A Strobe Compliant Article. *Medicine (Baltimore)* , doi: 10.1097/MD.0000000000000925
 - Favaretti, C. et al. (2015) AN EFQM excellence model for integrated healthcare governance. *International Journal of Health Care Quality Assurance* , doi: 10.1108/IJHCQA-02-2014-0022
 - Umman, B. et al. (2015) Identification of gene variants related to the nitric oxide pathway in patients with acute coronary syndrome. *Gene* , doi: 10.1016/j.gene.2015.07.081
 - Oliveira, G. et al. (2015) Breeding and Genetics: Genomic methods and application—Dairy W87 A GWAS on heat tolerance phenotypes for Italian Holstein bulls. *Journal of Animal Science* , doi: 10.5219/47
 - Kasarda, R. et al. (2015) Genome-Wide Selection Signatures in Pinzgau Cattle. *Potravinarstvo Scientific Journal for Food Industry* , doi: 10.5219/478
 - Hart, S. et al. (2015) VCF-Miner: GUI-based application for mining variants and annotations stored in VCF files. *Oxford Journals* , doi: 10.1093/bib/bbv051
 - Cronin, M. et al. (2015) Single Nucleotide Polymorphism (SNP) Variation of Wolves (*Canis lupus*) in Southeast Alaska and Comparison with Wolves, Dogs, and Coyotes in North America. *Journal of Heredity* , doi: 10.1007/s00414-015-1232-0
 - Laer, K. et al. (2015) Polymorphisms in genes of respiratory control and sudden infant death syndrome. *International Journal of Legal Medicine*. doi: 10.1007/s00414-015-1232-0
 - Mackay, D. et al. (2015) Exome Sequencing Identifies a Missense Variant in EFEMP1 Co-Segregating in a Family with Autosomal Dominant Primary Open-Angle Glaucoma. *PLoS one*. doi: 10.1371/journal.pone.0132529
 - Hildebrant, M. et al. (2015) Genetic variation in the TNF/ TRAF2/ASK1/p38 kinase signaling pathway as markers for postoperative pulmonary complications in lung cancer patients. *Scientific Reports*. doi: 10.1038/srep12068
 - Ferrarini, A. et al. (2015) The Use of Non-Variant Sites to Improve the Clinical Assessment of Whole-Genome Sequence Data. *PLoS one*. doi: 10.1371/journal.pone.0132180
 - Deml, B. et al. (2015) Novel mutations in PAX6, OTX2 and NDP in anophthalmia, microphthalmia and coloboma. *European Journal of Human Genetics*. doi: 10.1038/ejhg.2015.155
 - Mackey, J. et al. (2015) Genetics of ramucirumab-associated hypertension in the ROSE/TRIO-012 breast cancer trial. *Journal of Clinical Oncology*. doi: 10.1002/bdra.23397
 - Deml, B. et al. (2015) EFTUD2 deficiency in vertebrates: Identification of a novel human mutation and generation of a zebrafish model. *Clinical and Molecular Teratology*. doi: 10.1002/bdra.23397
 - Rajeevan, M. et al. (2015) Pathway-focused genetic evaluation of immune and inflammation related genes with chronic fatigue syndrome. *Human Immunology*. doi: 10.1016/j.

- humimm.2015.06.014
- Nanayahkara, S. et al. (2015) Whole-exome sequencing reveals genetic variants associated with chronic kidney disease characterized by tubulointerstitial damages in North Central Region, Sri Lanka. *Environmental Helath and Preventative Medicine*. doi: 10.1007/s12199-015-0475-1
 - Sarkar, M. et al. (2015) Association of IFNL3 and IFNL4 polymorphisms with liver-related mortality in a multiracial cohort of HIV/HCV-coinfected women. *Journal of Viral Hepatitis*. doi: 10.1111/jvh.12431
 - Geng, X, et al. (2015) A genome-wide association study in catfish reveals the presence of functional hubs of related genes within QTLs for columnaris disease resistance. *BMC Genomics*. doi: 10.1186/s12864-015-1409-4
 - Nair, S, et al. (2015) Fine mapping of Msv1 , a major QTL for resistance to Maize Streak Virus leads to development of production markers for breeding pipelines. *Theoretical and Applied Genetics*. doi: 10.1007/s00122-015-2551-8
 - Squassina, A, et al. (2015) An Introduction to Pharmacogenomics and Personalized Medicine. *PanVascular Medicine*. doi: 10.1007/978-3-642-37078-6_226
 - Ferrari, R, et al. (2015) A Genome-Wide Screening and SNPs-to-Genes Approach to Identify Novel Genetic Risk Factors Associated with Frontotemporal Dementia. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2015.06.005>
 - Esplin, M, et al. (2015) Cluster analysis of spontaneous preterm birth phenotypes identifies potential associations among preterm birth mechanisms. *AJOG*. doi: <http://dx.doi.org/10.1016/j.ajog.2015.06.011>
 - Edea, Z, et al. (2015) Genome-wide linkage disequilibrium analysis of indigenous cattle breeds of Ethiopia and Korea using different SNP genotyping BeadChips. *Genes and Genomics*. doi: 10.1007/s13258-015-0304-3
 - Oussalah, A, et al. (2015) Exome-Wide Association Study Identifies New Low-Frequency and Rare UGT1A1 Coding Variants and UGT1A6 Coding Variants Influencing Serum Bilirubin in Elderly Subjects: A Stroke Compliant Article. *Medicine*. doi: 10.1097/MD.0000000000000925
 - Lauren, M, et al. (2015) Genomics in the clinic: ethical and policy challenges in clinical next-generation sequencing programs at early adopter USA institutions. *Personalized Medicine*. doi: 10.2217/pme.14.88
 - Dashti, H, et al. (2015) Clock Genes Explain a Large Proportion of Phenotypic Variance in Systolic Blood Pressure and This Control Is Not Modified by Environmental Temperature. *Oxford Journals*. doi: 10.1093/ajh/hpv082
 - Schilter, K, et al. (2015) Identification of an Alu-repeat-mediated deletion of OPTN upstream region in a patient with a complex ocular phenotype. *Molecular Genetics and Genomic Medicine*. doi: 10.1002/mgg3.159
 - Aouizerat, B, et al. (2015) Phenotypic and Molecular Evidence Suggest That Decrements in Morning and Evening Energy Are Distinct But Related Symptoms. *Journal of Pain and Symptom Management*, doi: <http://dx.doi.org/10.1016/j.jpainsymman.2015.05.008>
 - Cepeda-Nieto, A, et al. (2015) High prevalence of diabetic retinopathy and lack of association with integrin $\alpha 2$ gene polymorphisms in patients with type 2 diabetes from Northeastern Mexico. *Experimental and Therapeutic Medicine*, doi: 10.3892/etm.2015.2520
 - Davis, B, et al. (2015) Mechanisms underlying mammalian hybrid sterility in two feline interspecies models. *Oxford Journals*, doi: 10.1093/molbev/msv124
 - Costa, A, et al. (2015) Gene-environment interaction between the oxytocin receptor (OXTR) gene and parenting behaviour on children's theory of mind. *Journal Of Veterinary Pharmacology and Therapeutics*, doi: 10.1111/jvp.12241
 - Wade, M, et al. (2015) Polymorphisms in the canine glucocorticoid receptor alpha gene (NR3C1 α). *Oxford Journals*, doi: 10.1093/scan/nsv064
 - Bessonov, K, et al. (2015) A cautionary note on the impact of protocol changes for genome-wide association SNP \times SNP interaction studies: an example on ankylosing spondylitis. *Human Genetics*, doi: 10.1007/s00439-015-1560-7
 - Mezaros, G, et al. (2015) Genomic analysis for managing small and endangered populations: A case study in Tyrol Grey cattle. *Frontiers in Genetics*, doi: 10.3389/fgene.2015.00173
 - Cybulski, C, et al. (2015) Germline RECQL mutations are associated with breast cancer susceptibility. *Nature Genetics*, doi: 10.1038/ng.3284
 - Fatemi, C, et al. (2015) Early onset schizophrenia: Gender analysis of genome-wide potential methylation. *Clinica Chimica Acta*, doi: 10.1016/j.cca.2015.03.032
 - Eun, Y, et al. (2015) Single nucleotide polymorphisms of the Fas gene are associated with papillary thyroid cancer. *Auris Nasus Larynx*, doi: 10.1016/j.anl.2015.02.001
 - Dubey, S, et al. (2015) Evaluation of Genetic Polymorphisms in Clusterin and Tumor Necrosis Factor-Alpha Genes in South Indian Individuals with Pseudoexfoliation Syndrome. *Current Eye Research*, doi: 10.3109/02713683.2014.997884
 - Pereira, R, et al. (2015) Mutation analysis in patients with total sperm immotility. *JARG*, doi: 10.1007/s10815-015-0474-6
 - Xia, S, et al. (2015) Plasma genetic and genomic abnormalities predict treatment response and clinical outcome in advanced prostate cancer. *Oncotarget*, doi: 10.1111/age.12295

- Nicolazzi, E, et al. (2015) Software solutions for the livestock genomics SNP array revolution. *Animal Genetics*, doi: 10.1111/age.12295
- Reddy, U, et al. (2015) High-Resolution Genetic Map for Understanding the Effect of Genome-Wide Recombination Rate on Nucleotide Diversity in Watermelon. *G3*, doi: 10.1534/g3.114.012815
- Weaver, K, et al. (2015) Acrofacial Dysostosis, Cincinnati Type, a Mandibulofacial Dysostosis Syndrome with Limb Anomalies, Is Caused by POLR1A Dysfunction. *AJHG*, doi: 10.1016/j.ajhg.2015.03.011
- Veerappa, A, et al. (2015) Global Spectrum of Copy Number Variations Reveals Genome Organizational Plasticity and Proposes New Migration Routes. *PLoSone*, doi: 10.1371/journal.pone.0121846
- Marsh, S, et al. (2015) Pharmacogenomic assessment of Mexican and Peruvian populations. *Pharmacogenomics*, doi: 10.2217/pgs.15.10
- Bonman, M, et al. (2015) Genetic Diversity among Wheat Accessions from the USDA National Small Grains Collection. *Crop Science*, doi: 10.2135/cropsci2014.09.0621
- Mucha, S, et al. (2015) Genome-wide association study of footrot in Texel sheep. *Genetics Selection Evolution*, doi: 10.1186/s12711-015-0119-3
- Al-Motassem, Y, et al. (2015) Allele and Genotype Frequencies of the Polymorphic Methylenetetrahydrofolate Reductase and Lung Cancer in the Jordanian Population: a Case Control Study. *Asian Pacific Journal of Cancer Prevention*, doi: 10.7314/APJCP.2015.16.8.3101
- Ference, B, et al. (2015) Effect of Naturally Random Allocation to Lower Low-Density Lipoprotein Cholesterol on the Risk of Coronary Heart Disease Mediated by Polymorphisms in NPC1L1, HMGCR, or Both. *Journal of the American College of Cardiology*, doi: 10.1016/j.jacc.2015.02.020
- Gordon, C, et al. (2015) Mutations in the Endothelin Receptor Type A Cause Mandibulofacial Dysostosis with Alopecia. *The American Journal of Human Genetics*, doi: 10.1016/j.ajhg.2015.01.015
- Saal, H, et al. (2015) A mutation in FRIZZLED2 impairs Wnt signaling and causes autosomal dominant omodysplasia. *Oxford Journals*, doi: 10.1093/hmg/ddv088
- Cierny, D, et al. (2015) Genetic variants in interleukin 7 receptor α chain (IL-7Ra) are associated with multiple sclerosis risk and disability progression in Central European Slovak population. *Journal of Neuroimmunology*, doi: http://dx.doi.org/10.1016/j.jneuroim.2015.03.010
- Duan, D, et al. (2015) Associations between TRPV4 genotypes and body mass index in Taiwanese subjects. *Molecular Genetics and Genomics*, doi: 10.1007/s00438-015-0996-8
- Babushok, D, et al. (2015) Emergence of Clonal Hematopoiesis in the Majority of Patients with Acquired Aplastic Anemia. *Cancer Genetics Journal*, doi: http://dx.doi.org/10.1016/j.cancergen.2015.01.007
- Solus, J, et al. (2015) Genetics of serum concentration of IL-6 and TNF α in systemic lupus erythematosus and rheumatoid arthritis: a candidate gene analysis. *Clinical Rheumatology*, doi: 10.1007/s10067-015-2881-6
- Kanwal, F et al. (2015) Genetic Variants in Interleukin-28B Are Associated with Diabetes and Diabetes-Related complications in Patients with Chronic Hepatitis C Virus Infection. *Digestive Diseases and Sciences*, doi: 10.1007/s10126-015-3545-8
- Ulloa, P et al. (2015) RNA Sequencing to Study Gene Expression and SNP Variations Associated with Growth in Zebrafish Fed a Plant Protein-Based Diet. *Marine Biotechnology*, doi: 10.1007/s10126-015-9624-1
- Thareja, G et al. (2015) Sequence and analysis of a whole genome from Kuwaiti population subgroup of Persian ancestry. *BMC Genomics*, doi: 10.1186/s12864-015-1233-x
- Dohrn, N et al. (2015) ECEL1 mutation causes fetal arthrogryposis multiplex congenita. *American Journal of Medical Genetics*, doi: 10.1002/ajmg.a.37018
- Chang, H et al. (2015) Development of a genetic marker set to diagnose aspirin-exacerbated respiratory disease in a genome-wide association study. *The Pharmacogenomics Journal*, doi: 10.1038/tpj.2014.78
- Suwarno, W et al. (2015) Genome-wide association analysis reveals new targets for carotenoid biofortification in maize. *Theoretical and Applied Genetics*, doi: 10.1007/s00122-015-2475-3
- Bulayeva, K et al. (2015) Genomic structural variants are linked with intellectual disability. *Journal of Neural Transmission*, doi: 10.1007/s00702-015-1366-8
- Chiang, D et al. (2015) Identification of microRNA-mRNA dysregulations in paroxysmal atrial fibrillation. *International Journal of Cardiology*, doi: http://dx.doi.org/10.1016/j.ijcard.2015.01.075
- Mitropoulou, C et al. (2015) Economic evaluation of pharmacogenomic-guided warfarin treatment for elderly Croatian atrial fibrillation patients with ischemic stroke. *Pharmacogenomics*, Vol. 16, No. 2, Pages 137-148 , DOI 10.2217/pgs.14.167
- Sant, D et al. (2015) Evaluation of somatic mutations in tibial pseudarthrosis samples in neurofibromatosis type 1. *Journal of Medical Genetics*, doi:10.1136/jmedgenet-2014-102815
- Durson, D et al. (2015) Association of Genetic Variants with Self-Assessed Color Categories in Brazilians. *PLoSone*, 9(1):

e83926. doi:10.1371/journal.pone.0083926

- O'Rawe, J et al. (2015) A variant in TAF1 is associated with a new syndrome with severe intellectual disability and characteristic dysmorphic features. *bioRxiv*, doi: <http://dx.doi.org/10.1101/014050>
- Edea, Z et al. (2015) Genome-wide genetic diversity, population structure and admixture analysis in African and Asian cattle breeds. *Animal*, 9:2, pp 218–226, doi:10.1017/S1751731114002560.
- van der Laan, S et al. (2015) Variants in ALOX5, ALOX5AP and LTA4H are not associated with atherosclerotic plaque phenotypes: The Athero-Express Genomics Study. *Atherosclerosis*, doi:10.1016/j.atherosclerosis.2015.01.018
- Sadhasivam, S et al. (2015) Novel associations between FAAH genetic variants and postoperative central opioid-related adverse effects. *The Pharmacogenetics Journal*, doi:10.1038/tpj.2014.79
- Mangone, F et al. (2015) ATM gene mutations in sporadic breast cancer patients from Brazil. *SpringerPlus*, doi:10.1186/s40064-015-0787-z
- Merdad, A et al. (2015) Characterization of familial breast cancer in Saudi Arabia. *BMC Genomics*, 16(Suppl 1):S3, doi:10.1186/1471-2164-16-S1-S3
- Zhang, L et al. (2015) Exome Sequencing of Normal and Isogenic Transformed Human Colonic Epithelial Cells (HCECs) Reveals Novel Genes Potentially Involved in the Early Stages of Colorectal Tumorigenesis. *BMC Genomics*, 16(Suppl 1):S8, doi:10.1186/1471-2164-16-S1-S8
- Li, J et al. (2015) Evaluation of 12 myopia-associated genes in Chinese patients with high myopia. *Investigative Ophthalmology & Visual Science*, doi:10.1167/iovs.14-14880
- Blanco, F et al. (2015) Improved prediction of knee osteoarthritis progression by genetic polymorphisms: the Arthrotest Study. *Rheumatology*, doi:10.1093/rheumatology/keu478

2014

- Wang, K, A et al. (2014) Prostate Cancer Related JAZF1 Gene is Associated with Schizophrenia. *Journal of Schizophrenia Research*, doi: 10.1002/pros.21094.
- Namjou, B, A et al. (2014) The Effect of Inversion at 8p23 on BLK Association with Lupus in Caucasian Population. *PLOS One*, doi: 10.1371/journal.pone.0115614
- Edea, Z, A et al. (2014) Linkage disequilibrium and genomic scan to detect selective loci in cattle populations adapted to different ecological conditions in Ethiopia. *Journal of Animal*

Breeding and Genetics, doi: 10.1111/jbg.12083.

- Uzzaman, MR, A et al. (2014) Genome-wide Single Nucleotide Polymorphism Analyses Reveal Genetic Diversity and Structure of Wild and Domestic Cattle in Bangladesh. *Asian-Australas J Animal Science*, doi: 10.5713/ajas.2014.14160.
- Langford, D, A et al. (2014) Variations In Potassium Channel Genes Are Associated With Distinct Trajectories Of Persistent Breast Pain Following Breast Cancer Surgery. *PAIN*, doi: 10.1016/j.pain.0000000000000043
- Agopian, A et al. (2014) Genome-Wide Association Study of Maternal and Inherited Loci for Conotruncal Heart Defects. *PLoS ONE*, 9(5), doi:10.1371/journal.pone.0096057
- Chantratita, N et al. (2014) Common TLR1 Genetic Variation Is Not Associated with Death from Melioidosis, a Common Cause of Sepsis in Rural Thailand. *PLoS ONE*, 9(1):e83285, doi:10.1371/journal.pone.0083285
- Chen, C et al. (2014) Meta-analysis of Loci Associated with Age at Natural Menopause in African-American Women. *Human Molecular Genetics*, doi:10.1093/hmg/ddu041.
- Chon, J et al. (2014) Association between BH3 interacting domain death agonist (BID) gene polymorphism and ossification of the posterior longitudinal ligament in Korean population. *Molecular Biology Reports*, 41(2):895-899, doi:10.1007/s11033-013-2933-4.
- Chu, X et al. (2014) In-depth analyses unveil the association and possible functional involvement of novel RAD51B polymorphisms in age-related macular degeneration. *AGE*, doi:10.1007/s11357-014-9627-2.
- Cronin, M et al. (2014) Molecular Phylogeny and SNP Variation of Polar Bears (*Ursus maritimus*), Brown Bears (*U. arctos*), and Black Bears (*U. americanus*) Derived from Genome Sequences. *Journal of Heredity*, 105(1): doi:10.1093/jhered/est133.
- Deml, B et al. (2014) Whole exome analysis identifies dominant COL4A1 mutations in patients with complex ocular phenotypes involving microphthalmia. *Clinical Genetics*, doi:10.1111/cge.12379.
- Dubey, S et al. (2014) Lysyl Oxidase-Like 1 Gene in the Reversal of Promoter Risk Allele in Pseudoexfoliation Syndrome. *JAMA Ophthalmol*, doi:10.1001/jamaophthalmol.2014.845.
- Durso, D et al. (2014) Association of Genetic Variants with Self-Assessed Color Categories in Brazilians. *PLoS ONE*, 9(1):e83926: doi:10.1371/journal.pone.0083926.
- Edea, Z et al. (2014) Linkage disequilibrium and genomic scan to detect selective loci in cattle populations adapted to different ecological conditions in Ethiopia. *Journal of Animal Breeding and Genetics*, doi:10.1111/jbg.12083.
- Gupta, A et al. (2014) Rare deleterious mutations of the gene EFR3A in autism spectrum disorders. *Molecular Autism*, 5(31),

- doi:10.1186/2040-2392-5-31.
- Kim, D et al. (2014) The Insertion/Deletion Polymorphism of Angiotensin I Converting Enzyme Gene is Associated with Ossification of the Posterior Longitudinal Ligament in the Korean Population. *Annals of Rehabilitation Medicine*, 38(1):1-5, doi:10.5535/arm.2014.31.1.1
 - Kim, S et al. (2014) Association Study of FOS-Like Antigen-2 Promoter Polymorphisms With Papillary Thyroid Cancer in Korean Population. *Clinical and Experimental Otorhinolaryngology*, 7(1):42-46: doi:10.3342/ceo.2014.7.1.42.
 - Kimura, T et al. (2014) Autophagy-Related IRGM Polymorphism Is Associated with Mortality of Patients with Severe Sepsis. *PLoS ONE*, doi:10.1371/journal.pone.0091522
 - Klajic-Bukvic, B et al. (2014) Genetic variants in endotoxin signalling pathway, domestic endotoxin exposure and asthma exacerbations. *Pediatric Allergy and Immunology*, doi:10.1111/pai.12258
 - Kohlhase, S et al. (2014) Mutation Analysis of the ERCC4/FANCD1 Gene in Hereditary Breast Cancer. *PLoS ONE*, 9(1):e85334: doi:10.1371/journal.pone.0085334.
 - Lee, K et al. (2014) Cytokine polymorphisms are associated with fatigue in adults living with HIV/AIDS. *Brain, Behavior, and Immunity*, doi:10.1016/j.bbi.2014.02.017.
 - Luksys, G et al. (2014) BAIAP2 Is Related to Emotional Modulation of Human Memory Strength. *PLoS ONE*, 9(1):e83707, doi:10.1371/journal.pone.0083707.
 - Mayes, M et al. (2014) Immunochip Analysis Identifies Multiple Susceptibility Loci for Systemic Sclerosis. *American Journal of Human Genetics*, 94(1):47-61, doi:10.1016/j.ajhg.2014.01.001.
 - Mucha, S et al. (2014) Estimation of genetic parameters for milk yield across lactations in mixed-breed dairy goats. *Journal of Dairy Science*, doi:10.3168/jds.2013-7319.
 - Najafi, M et al. (2014) Matrix Gla protein (MGP) promoter polymorphic variants and its serum level in stenosis of coronary artery. *Molecular Biology Reports*, 41(3):1779-1786, doi:10.1007/s11033-014-3027-7.
 - Park, T et al. (2014) Genome-wide association study identifies ALLC polymorphisms correlated with FEV1 change by corticosteroid. *Clinica Chimica Acta*, 436:20-26, doi:10.1016/j.cca.2014.04.023.
 - Pibiri, F et al. (2014) Genetic variation in vitamin D-related genes and risk of colorectal cancer in African-Americans. *Cancer Causes & Control*, doi:10.1007/s10552-014-0361-y.
 - Saad, S et al. (2014) Cytokine gene variations associated with subsyndromal depressive symptoms in patients with breast cancer. *European Journal of Oncology Nursing*. doi:10.1016/j.ejon.2014.03.009.
 - Sanchez-Dominguez, C et al. (2014) The Tumor Necrosis Factor α (-308 A/G) Polymorphism Is Associated with Cystic Fibrosis in Mexican Patients. *PLoS ONE*, 9(3):e90945: doi:10.1371/journal.pone.0090945.
 - Shaw, K et al. (2014) VKORC1 and CYP2C9 genotypes are predictors of warfarin-related outcomes in children. *Pediatric Blood & Cancer*, doi:10.1002/pbc.24932.
 - Shortt, K et al. (2014) Three Novel Single Nucleotide Polymorphisms Associated with the Susceptibility, Severity, and Outcome of Acute Respiratory Distress Syndrome. *Respiratory and Critical Care Medicine*, doi:10.1164/ajrccm-conference.2014.189.1Taylor, K et al. (2014) Recurrent activating ACVR1 mutations in diffuse intrinsic pontine glioma. *Nature Genetics*, doi:10.1038/ng.2925.
 - Tindall, E et al. (2014) Clinical presentation of prostate cancer in Black South Africans. *The Prostate*, doi:10.1002/pros.22806.
 - Veerappa, A et al. (2014) Copy Number Variations Burden on miRNA Genes Reveals Layers of Complexities Involved in the Regulation of Pathways and Phenotypic Expression. *PLoS ONE*, 9(2):e90391: doi:10.1371/journal.pone.0090391.
 - Yang, S et al. (2014) A genome-wide scan for signatures of selection in Chinese indigenous and commercial pig breeds. *BMC Genetics*, doi:10.1186/1471-2156-15-7.
- 2013**
- Acevedo, N et al. (2013) Interaction between Retinoid Acid Receptor-Related Orphan Receptor Alpha (RORA) and Neuropeptide S Receptor 1 (NPSR1) in Asthma. *PLoS ONE*, 8(4):e60111, doi:10.1371/journal.pone.0060111.
 - Agopian, A et al. (2013) Exon sequencing of PAX3 and T (Brachyury) in cases with spina bifida. *Birth Defects Research Part A: Clinical and Molecular Teratology*, doi:10.1002/bdra.23163.
 - Akbari, M et al. (2013) PPM1D Mutations in Circulating White Blood Cells and the Risk for Ovarian Cancer. *Journal of the National Cancer Institute*, doi:10.1093/jnci/djt323.
 - Alcazar-Gonzalez, G et al. (2013) Comparative study of polymorphism frequencies of the CYP2D6, CYP3A5, CYP2C8 and IL-10 genes in Mexican and Spanish women with breast cancer. *Pharmacogenomics*, 14(13):1583-1592, doi:10.2217/pgs.13.83.
 - Alfaro, E et al. (2013) Associations between cytokine gene variations and self-reported sleep disturbance in women following breast cancer surgery. *European Journal of Oncology Nursing*, doi:10.1016/j.ejon.2013.08.004.
 - Alsmadi, O et al. (2013) Genetic Substructure of Kuwaiti Population Reveals Migration History. *PLoS ONE*, 8(9):e74913, doi:10.1371/journal.pone.0074913.

- Aminkeng, F et al. (2013) Higher frequency of genetic variants conferring increased risk for ADRs for commonly used drugs treating cancer, AIDS and tuberculosis in persons of African descent. *Pharmacogenomics Journal*, doi:10.1038/tpj.2013.13.
- Aquilante, C et al. (2013) Effect of ABCB1 polymorphisms and atorvastatin on sitagliptin pharmacokinetics in healthy volunteers. *European Journal of Clinical Pharmacology*, doi:10.1007/s00228-013-1475-y.
- Aragam, N et al. (2013) TMPRSS9 and GRIN2B Are Associated with Neuroticism: a Genome-Wide Association Study in a European Sample. *Journal of Molecular Neuroscience*, 50(2):250-256, doi:10.1007/s12031-012-9931-1.
- Ardeljan, D et al. (2013) Influence of TIMP3/SYN3 polymorphisms on the phenotypic presentation of age-related macular degeneration. *European Journal of Human Genetics*, doi:10.1038/ejhg.2013.14.
- Arrington, C et al. (2013) Family-based studies to identify genetic variants that cause congenital heart defects. *Future Medicine*, 9(4):507-518, doi:10.2217/fca.13.40.
- Azad, A et al. (2013) Allelic mRNA expression imbalance in C-type lectins reveals a frequent regulatory SNP in the human surfactant protein A (SP-A) gene. *Genes and Immunity*, doi:10.1038/gene.2012.61.
- Ban, J et al. (2013) Association of forkhead box J3 (FOXJ3) polymorphisms with rheumatoid arthritis. *Molecular Medicine*, doi:10.3892/mmr.2013.1623.
- Bani-Fatemi, A et al. (2013) Analysis of CpG SNPs in 34 genes: Association test with suicide attempt in schizophrenia. *Schizophrenia Research*, doi:10.1016/j.schres.2013.04.018.
- Belfer, I et al. (2013) A GCH1 Haplotype Confers Sex Specific Susceptibility to Pain Crises and Altered Endothelial Function in Adults with Sickle Cell Anemia. *American Journal of Hematology*, doi:0.1002/ajh.23613.
- Bergstrom, P et al. (2013) Association of NFE2L2 and KEAP1 haplotypes with amyotrophic lateral sclerosis. *Informa Healthcare*, doi: 10.3109/21678421.2013.839708.
- Blekic, M et al. (2013) 17q12-21 and asthma: interactions with early-life environmental exposures. *Annals of Allergy, Asthma & Immunology*, doi:10.1016/j.anai.2013.01.021.
- Brække Norheim, K et al. (2013) A possible genetic association with chronic fatigue in primary Sjögren's syndrome: a candidate gene study. *Rheumatology International*, doi:10.1007/s00296-013-2850-9.
- Bretherick, K et al. (2013) Sex- and Subtype-Specific Analysis of H2AFX Polymorphisms in Non-Hodgkin Lymphoma. *PLoS ONE*, 8(9):e74619, doi:10.1371/journal.pone.0074619.
- Bukvic, B et al. (2013) Asthma severity, polymorphisms in 20p13 and their interaction with tobacco smoke exposure. *Pediatric Allergy and Immunology*, 24(1)10-18, doi:10.1111/pai.12019.
- Canovas, A et al. (2013) RNA sequencing to study gene expression and single nucleotide polymorphism variation associated with citrate content in cow milk. *Journal of Dairy Science*, doi:10.3168/jds.2012-6213.
- Chantratita, N et al. (2013) Screen of whole blood responses to flagellin identifies TLR5 variation associated with outcome in melioidosis. *Genes and Immunity*, doi:10.1038/gene.2013.60.
- Chandran, V et al. (2013) Human Leukocyte Antigen Alleles And Susceptibility To Psoriatic Arthritis. *Human Immunology*, doi:10.1016/j.humimm.2013.07.014.
- Chen, K et al. (2013) Germline Mutations in NFKB2 Implicate the Noncanonical NF-κB Pathway in the Pathogenesis of Common Variable Immunodeficiency. *AJHG*, doi:10.1016/j.ajhg.2013.09.009.
- Cho, J et al. (2013) Genetic Polymorphism of SMAD5 is Associated With Kawasaki Disease. *Pediatric Cardiology*, doi:10.1007/s00246-013-0826-x.
- Clifford, A et al. (2013) Single nucleotide polymorphisms in CETP, SLC46A1, SLC19A1, CD36, BCMO1, APOA5, and ABCA1 are significant predictors of plasma HDL in healthy adults. *Lipids in Health and Disease*, 12:66.
- Concepcion, J et al. (2013) Neonatal diabetes, gallbladder agenesis, duodenal atresia, and intestinal malrotation caused by a novel homozygous mutation in RFX6. *Pediatric Diabetes*, doi:10.1111/pedi.12063.
- Coonrod, E et al. (2013) Clinical analysis of genome next-generation sequencing data using the Omicia platform. *Expert Review of Molecular Diagnostics*, 13(6):529-540, doi:10.1586/14737159.2013.811907.
- Darbari, D et al. (2013) Severe Painful Vaso-Occlusive Crises and Mortality in a Contemporary Adult Sickle Cell Anemia Cohort Study. *PLoS ONE*, 8(11):e79923, doi:10.1371/journal.pone.0079923.
- Dillon, S et al. (2013) Signatures of adaptation and genetic structure among the mainland populations of *Pinus radiata* (D. Don) inferred from SNP loci. *Tree Genetics & Genomes*, doi:10.1007/s11295-013-0650-8.
- Edea, Z et al. (2013) Genetic diversity, population structure and relationships in indigenous cattle populations of Ethiopia and Korean Hanwoo breeds using SNP markers. *Frontiers in Genetics*, doi:10.3389/fgene.2013.00035.
- Eicher, J et al. (2013) Associations of Prenatal Nicotine Exposure and the Dopamine Related Genes ANKK1 and DRD2 to Verbal Language. *PLoS ONE*, 8(5):e63762, doi:10.1371/journal.pone.0063762.
- Eun, Y et al. (2013) Association study of integrins beta 1 and beta

- 2 gene polymorphism and papillary thyroid cancer. *American Journal of Surgery*, doi:10.1016/j.amjsurg.2012.05.035.
- Eun, Y et al. (2013) Interleukin 22 Polymorphisms and Papillary Thyroid Cancer. *Journal of Endocrinological Investigation*.
 - Faraco, J et al. (2013) ImmunoChip Study Implicates Antigen Presentation to T Cells in Narcolepsy. *PLoS Genetics*, 9(2):e1003270, doi:10.1371/journal.pgen.1003270.
 - Feng, X et al. (2013) Insulin receptor substrate 1 (IRS1) variants confer risk of diabetes in the Boston Puerto Rican Health Study. *Asia-Pacific Journal of Clinical Nutrition*, 22(1):150-159, doi:10.6133/apjcn.2013.22.1.09.
 - Ferencakovic, M et al. (2013) Estimating autozygosity from high-throughput information: effects of SNP density and genotyping errors. *Genetics Selection Evolution*, 45:42, doi:10.1186/1297-9686-45-42.
 - Flanagan, J et al. (2013) Genetic mapping and exome sequencing identify two mutations associated with stroke protection in pediatric patients with sickle cell anemia. *Blood*, doi:10.1182/blood-2012-10-464156.
 - Gill, R et al. (2013) Whole-exome sequencing identifies novel LEPR mutations in individuals with severe early onset obesity. *Obesity*, doi:10.1002/oby.20492.
 - Glorioso, N et al. (2013) Sex-Specific Effects of NLRP6/AVR and ADM Loci on Susceptibility to Essential Hypertension in a Sardinian Population. *PLoS ONE*, 8(10):e77562, doi:10.1371/journal.pone.0077562.
 - Haldorsen, K et al. (2013) No association of primary Sjögren's syndrome with Fcγ receptor gene variants. *Genes & Immunity*, 14, 234–237, doi:10.1038/gene.2013.12.
 - Han, J et al. (2013) Discovery of novel non-synonymous SNP variants in 988 candidate genes from 6 centenarians by target capture and next-generation sequencing. *Mechanisms of Ageing and Development*, doi:10.1016/j.mad.2013.01.005.
 - Hanson, E et al. (2013) Genetic Variants of Coagulation Factor XI Show Association with Ischemic Stroke Up to 70 Years of Age. *PLoS ONE*, 8(9):e75286, doi:10.1371/journal.pone.0075286.
 - Hennessy, M et al. (2013) Polymorphisms of Interleukin-1 Beta and Interleukin-17Alpha Genes Are Associated With Restless Legs Syndrome. *Biological Research for Nursing*, doi:10.1177/1099800413478827.
 - Huang, H et al. (2013) Genetic variants associated with circulating MMP1 levels near matrix metalloproteinase genes on chromosome 11q21-22 in Taiwanese: interaction with obesity. *BMC Medical Genetics*, 14:30, doi:10.1186/1471-2350-14-30.
 - Johnson, A et al. (2013) Resequencing and Clinical Associations of the 9p21.3 Region: A Comprehensive Investigation in the Framingham Heart Study. *Circulation*, doi:10.1161/CIRCULATIONAHA.112.111559.
 - Kanwal, F et al. (2013) Many Patients with IL28B Genotypes Associated with Response to Therapy are Ineligible for Treatment Because of Comorbidities. *Clinical Gastroenterology and Hepatology*, doi:10.1016/j.cgh.2013.08.034.
 - Kerner, B, Christensen, B et al. (2013) Rare genomic variants link bipolar disorder to CREB regulated intracellular signaling pathways. *Frontiers in Psychiatry*, doi:10.3389/fpsyt.2013.00154.
 - Khrunin, A et al. (2013) A Genome-Wide Analysis of Populations from European Russia Reveals a New Pole of Genetic Diversity in Northern Europe. *PLoS ONE*, 8(3):e58552, doi:10.1371/journal.pone.0058552.
 - Kim, H et al. (2013) Semantic networks for genome-wide CNV associated with AST and ALT in Korean cohorts. *Molecular & Cellular Toxicology*, 9(2):103-111, doi:10.1007/s13273-013-0014-3.
 - Kim, J et al. (2013) A Genome-Wide Association Study of Total Serum and Mite-Specific IgEs in Asthma Patients. *PLoS ONE*, 8(8):e71958, doi:10.1371/journal.pone.0071958.
 - Kim, K et al. (2013) Assessment of NMDA receptor genes (GRIN2A, GRIN2B and GRIN2C) as candidate genes in the development of degenerative lumbar scoliosis. *Experimental and Therapeutic Medicine*, 5(3):977-981.
 - Kim, K et al. (2013) Association between regulating synaptic membrane exocytosis 2 gene polymorphisms and degenerative lumbar scoliosis. *Biomedical Reports*, 1(4):619-623, doi:10.3892/br.2013.101.
 - Kim, S et al. (2013) Missense Polymorphisms in XIAP-Associated Factor-1 (XAF1) and Risk of Papillary Thyroid Cancer: Correlation with Clinicopathological Features. *Anticancer Research*, 33(5):2205-2210.
 - Kim, T et al. (2013) TLR9 gene polymorphism (rs187084, rs352140): association with acute rejection and estimated glomerular filtration rate in renal transplant recipients. *International Journal of Immunogenetics*, doi:10.1111/iji.12069.
 - Kim, Y et al. (2013) Genome-Wide Association Study Identified New Variants Associated with the Risk of Chronic Hepatitis B. *Human Molecular Genetics*, doi:10.1093/hmg/ddt266.
 - Kirino, Y et al. (2013) Genome-wide association analysis identifies new susceptibility loci for Behçet's disease and epistasis between HLA-B*51 and ERAP1. *Nature Genetics*, doi:10.1038/ng.2520.
 - Kirino, Y et al. (2013) Targeted resequencing implicates the familial Mediterranean fever gene MEFV and the toll-like receptor 4 gene TLR4 in Behçet disease. *PNAS*, doi:10.1073/pnas.1306352110.

- Kranis, A et al. (2013) Development of a high density 600K SNP genotyping array for chicken. *BMC Genomics*, 14:59, doi:10.1186/1471-2164-14-59.
- Kwon, K et al. (2013) Association Study of Chemokine (C-C motif) Ligand 5 Gene Polymorphism and Papillary Thyroid Cancer. *Journal of Investigative Surgery*, doi:10.3109/08941939.2013.805857.
- Lee, E et al. (2013) Genetic variations in regulator of G-protein signaling (RGS) confer risk of bladder cancer. *Cancer*, doi:10.1002/cncr.27871.
- Lee, H et al. (2013) Ethnic specificity of lupus-associated loci identified in a genome-wide association study in Korean women. *Annals of Rheumatic Diseases*, doi:10.1136/annrheumdis-2012-202675.
- Lencz, T et al. (2013) Genome-wide association study implicates NDST3 in schizophrenia and bipolar disorder. *Nature Communications*, 4(2739), doi:10.1038/ncomms3739.
- Lew, B et al. (2013) Association between IL16 gene polymorphisms and susceptibility to alopecia areata in the Korean population. *International Journal of Dermatology*, doi:10.1111/ijd.12251.
- Li, M et al. (2013) A novel c.-274C>G polymorphism in bovine SIRT1 gene contributes to diminished promoter activity and is associated with increased body size. *Animal Genetics*, doi:10.1111/age.12048.
- Li, M et al. (2013) Tetra-primer ARMS-PCR is an efficient SNP genotyping method: with an example from SIRT2. *Analytical Methods*, doi:10.1039/c3ay41370e.
- Lin, P et al. (2013) Runs of Homozygosity Associated with Speech Delay in Autism in a Taiwanese Han Population: Evidence for the Recessive Model. *PLoS ONE*, 8(8):e72056, doi:10.1371/journal.pone.0072056.
- Londono, C et al. (2013) An H-MRS framework predicts the onset of Alzheimer's disease symptoms in PSEN1 mutation carriers. *Journal of the Alzheimer's Association*, doi:10.1016/j.jalz.2013.08.282.
- Maran, S et al. (2013) Gastric precancerous lesions are associated with gene variants in Helicobacter pylori-susceptible ethnic Malays. *World Journal of Gastroenterology*, 19(23):3615-3622, doi:10.3748/wjg.v19.i23.3615.
- Martin, J et al. (2013) Systemic sclerosis and systemic lupus erythematosus pan-meta-GWAS reveals new shared susceptibility loci. *Human Molecular Genetics*, doi:10.1093/hmg/ddt248.
- Matsunami, N, Christensen, B, & Lambert, C et al. (2013) Identification of Rare Recurrent Copy Number Variants in High-Risk Autism Families and Their Prevalence in a Large ASD Population. *PLoS ONE*, 8(1):e52239, doi:10.1371/journal.pone.0052239.
- McCaffery, J et al. (2013) FTO predicts weight regain in the Look AHEAD clinical trial. *International Journal of Obesity*, doi:10.1038/ijo.2013.54.
- McClure, M et al. (2013) Fine Mapping for Weaver Syndrome in Brown Swiss Cattle and the Identification of 41 Concordant Mutations across NRCAM, PNPLA8 and CTTNBP2. *PLoS ONE*, 8(3):e59251, doi:10.1371/journal.pone.0059251.
- Mendes-Junior, C et al. (2013) Genetic diversity of the HLA-G coding region in Amerindian populations from the Brazilian Amazon: a possible role of natural selection. *Genes & Immunity*, doi:10.1038/gene.2013.47.
- Meng, Q et al. (2013) Genetic Variants in the Fibroblast Growth Factor Pathway as Potential Markers of Ovarian Cancer Risk, Therapeutic Response, and Clinical Outcome. *Clinical Chemistry*, doi:10.1373/clinchem.2013.211490.
- Miaskowski, C et al. (2013) Lymphatic and Angiogenic Candidate Genes Predict the Development of Secondary Lymphedema following Breast Cancer Surgery. *PLoS ONE*, 8(4):e60164, doi:10.1371/journal.pone.0060164.
- Murphy, T et al. (2013) Genetic variation in DNMT3B and increased global DNA methylation is associated with suicide attempts in psychiatric patients. *Genes, Brain and Behavior*, 12(1):125-132, doi:10.1111/j.1601-183x.2012.00865.x.
- Niu, P et al. (2013) Porcine insulin-like growth factor 1 (IGF1) gene polymorphisms are associated with body size variation. *Genes & Genomics*, doi:10.1007/s13258-013-0098-0.
- O'Rawe, J et al. (2013) Low concordance of multiple variant-calling pipelines: practical implications for exome and genome sequencing. *Genome Medicine*, 5:28, doi:10.1186/gm432.
- Pan, Y et al. (2013) Genome-wide association studies of maximum number of drinks. *Journal of Psychiatric Research*, doi:10.1016/j.jpsychires.2013.07.013.
- Papadopoulos, P et al. (2013) Developments in FINDbase worldwide database for clinically relevant genomic variation allele frequencies. *Nucleic Acids Research*, doi:10.1093/nar/gkt1125.
- Park, B et al. (2013) Extended genetic effects of ADH cluster genes on the risk of alcohol dependence: from GWAS to replication. *Human Genetics*, doi:10.1007/s00439-013-1281-8.
- Park, T et al. (2013) Lack of association between AQP4 polymorphisms and risk of inflammatory demyelinating disease in a Korean population. *Gene*, doi:10.1016/j.gene.2013.12.007.
- Petersen, D et al. (2013) Complex Patterns of Genomic Admixture within Southern Africa. *PLoS Genetics*, 9(3):1003309, doi:10.1371/journal.pgen.1003309.

- Peterson, T et al. (2013) HLA class I associations with rates of HIV-1 seroconversion and disease progression in the Pumwani Sex Worker Cohort. *Tissue Antigens*, doi:10.1111/tan.12051.
- Pineda, P et al. (2013) Innate immune gene variation and differential susceptibility to uterine diseases in Holstein cows. *Theriogenology*, doi:10.1016/j.theriogenology.2013.04.027.
- Pinsonneault, J et al. (2013) Association study of the estrogen receptor gene ESR1 with postpartum depression—a pilot study. *Archives of Women's Mental Health*, doi:10.1007/s00737-013-0373-8.
- Qwabe, S et al. (2013) Evaluation of the BovineSNP50 genotyping array in four South African cattle populations. *South African Journal of Animal Science*, 43(1).
- Ramsey, T et al. (2013) Genotypic variation in the SV2C gene impacts response to atypical antipsychotics the CATIE Study. *Schizophrenia Research*, doi:doi:10.1016/j.schres.2013.07.008.
- Rogers, E et al. (2013) Toll-like receptor-associated sequence variants and prostate cancer risk among men of African descent. *Genes & Immunity*, doi:10.1038/gene.2013.22.
- Sanford, J et al. (2013) Regulatory polymorphisms in CYP2C19 affecting hepatic expression. *Drug Metabolism and Drug Interactions*, doi:10.1515/dmdi-2012-0038.
- Santos, M et al. (2013) Common Genetic Polymorphisms in the ABCB1 Gene Are Associated with Risk of Major Depressive Disorder in Male Portuguese Individuals. *Genetic Testing and Molecular Biomarkers*, doi:10.1089/gtmb.2013.0197.
- Santos, S et al. (2013) ERBB2 in Cat Mammary Neoplasias Disclosed a Positive Correlation between RNA and Protein Low Expression Levels: A Model for erbB-2 Negative Human Breast Cancer. *PLoS ONE*, 8(12):e83673, doi:10.1371/journal.pone.0083673.
- Sapkota, Y et al. (2013) Identification of a Breast Cancer Susceptibility Locus at 4q31.22 Using a Genome-Wide Association Study Paradigm. *PLoS ONE*, 8(5):e62550, doi:10.1371/journal.pone.0062550.
- Schiotis, R et al. (2013) Candidate's single-nucleotide polymorphism predictors of treatment nonresponse to the first anti-TNF inhibitor in ankylosing spondylitis. *Rheumatology International*, doi:10.1007/s00296-013-2913-y.
- Schuetz, J et al. (2013) Non-Hodgkin Lymphoma Risk and Variants in Genes Controlling Lymphocyte Development. *PLoS ONE*, 8(9):e75170, doi:10.1371/journal.pone.0075170.
- Shalev, S et al. (2013) Microcephaly, epilepsy, and neonatal diabetes due to compound heterozygous mutations in IER3IP1: insights into the natural history of a rare disorder. *Pediatric Diabetes*, doi:10.1111/pedi.12086.
- Silio, L et al. (2013) Measuring inbreeding and inbreeding depression on pig growth from pedigree or SNP-derived metrics. *Journal of Animal Breeding and Genetics*, doi:10.1111/jbgs.12031.
- Singh, M et al. (2013) A susceptibility haplotype within the endothelial nitric oxide synthase gene influences bone mineral density in hypertensive women. *Journal of Bone and Mineral Metabolism*, doi:10.1007/s00774-013-0533-y.
- Stephens, K et al. (2013) Associations between cytokine gene variations and severe persistent breast pain in women following breast cancer surgery. *Journal of Pain*, doi:10.1016/j.jpain.2013.09.015.
- Suchankova, P et al. (2013) Genetic Variation of the Ghrelin Signalling System in Individuals with Amphetamine Dependence. *PLoS ONE*, 8(4):e61242, doi:10.1371/journal.pone.0061242.
- Suh, J et al. (2013) A Polymorphism of Interleukin-22 Receptor Alpha-1 Is Associated with the Development of Childhood IgA Nephropathy. *Journal of Interferon & Cytokine Research*, doi:10.1089/jir.2012.0097.
- Swoboda, K et al. (2013) A novel germline PIGA mutation in Ferro-Cerebro-Cutaneous syndrome: A neurodegenerative X-linked epileptic encephalopathy with systemic iron-overload. *American Journal of Medical Genetics*, doi:10.1002/ajmg.a.36189.
- Teng, M et al. (2013) Mediation analysis reveals a sex-dependent association between ABO gene variants and TG/HDL-C ratio that is suppressed by sE-selectin level. *Atherosclerosis*, doi:10.1016/j.atherosclerosis.2013.03.032.
- Thompson, I et al. (2013) Association of Complement Factor H Tyrosine 402 Histidine Genotype with Posterior Involvement in Sarcoid-Related Uveitis. *American Journal of Ophthalmology*, doi:10.1016/j.ajo.2013.01.019.
- Tian, M et al. (2013) Copy number variants in locally raised Chinese chicken genomes determined using array comparative genomic hybridization. *BMC Genomics*, 14:262, doi:10.1186/1471-2164-14-262.
- Tsermpini, E et al. (2013) Individualizing clozapine and risperidone treatment for schizophrenia patients. *Future Medicine*, 15(1):95-110, doi:10.2217/pgs.13/219.
- Tsongalis, G et al. (2013) Routine use of the Ion Torrent AmpliSeq Cancer Hotspot Panel for identification of clinically actionable somatic mutations. *Clinical Chemistry and Laboratory Medicine*, doi:10.1515/cclm-2013-0883.
- Veerappa, A et al. (2013) Copy number variation-based polymorphism in a new pseudoautosomal region 3 (PAR3) of a human X-chromosome-transposed region (XTR) in the Y chromosome. *Functional & Integrative Genomics*, doi:10.1007/s10142-013-0323-6.
- Veerappa, A et al. (2013) Genome-wide copy number scan

- identifies disruption of PCDH11X in developmental dyslexia. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, doi:10.1002/ajmg.b.32199.
- Veerappa, A et al. (2013) Unravelling the Complexity of Human Olfactory Receptor Repertoire by Copy Number Analysis across Population Using High Resolution Arrays. *PLoS ONE*, 8(7):e66843, doi:10.1371/journal.pone.0066843.
 - Venegas-Vega, C et al. (2013) Diagnosis of Familial Wolf-Hirschhorn Syndrome due to a Paternal Cryptic Chromosomal Rearrangement by Conventional and Molecular Cytogenetic Techniques. *BioMed Research International*, doi:10.1155/2013/209204.
 - Visscher, H et al. (2013) Validation of Variants in SLC28A3 and UGT1A6 as Genetic Markers Predictive of Anthracycline-Induced Cardiotoxicity in Children. *Pediatric Blood and Cancer*, doi:10.1002/psc.24505.
 - Wang, D et al. (2013) Common CYP2D6 Polymorphisms Affecting Alternative Splicing and Transcription: Long-range Haplotypes with Two Regulatory Variants Modulate CYP2D6 Activity. *Human Molecular Genetics*, doi:10.1093/hmg/ddt417.
 - Wang, K et al. (2013) Association of HS6ST3 gene polymorphisms with obesity and triglycerides: gene x gender interaction. *Journal of Genetics*, 92(3).
 - Wang, K et al. (2013) NRG3 gene is associated with the risk and age at onset of Alzheimer disease. *Journal of Neural Transmission*, doi:10.1007/s00702-013-1091-0.
 - Wang, M et al. (2013) A Novel Approach to Detect Cumulative Genetic Effects and Genetic Interactions in Crohn's Disease. *Inflammatory Bowel Diseases*, doi:10.1097/MIB.0b013e31828706a0.
 - Wang, M et al. (2013) Gene-gene and gene-environment interactions in ulcerative colitis. *Human Genetics*, doi:10.1007/s00439-013-1395-z.
 - Wang, Y et al. (2013) Genetic variants in matrix metalloproteinase genes as disposition factors for ovarian cancer risk, survival, and clinical outcome. *Molecular Carcinogenesis*, doi:10.1002/mc.22111.
 - Xie, H et al. (2013) Genetic variations in base excision repair pathway and risk of bladder cancer: A case-control study in the United States. *Molecular Carcinogenesis*, doi:10.1002/mc.22073.
 - Xu, C et al. (2013) BCL9 and C9orf5 Are Associated with Negative Symptoms in Schizophrenia: Meta-Analysis of Two Genome-Wide Association Studies. *PLoS ONE*, 8(1):e51674, doi:10.1371/journal.pone.0051674.
 - Zhang, J et al. (2013) Genetic variation in BDNF is associated with antipsychotic treatment resistance in patients with schizophrenia. *Schizophrenia Research*, S0920-9964(13):00058-3, doi:10.1016/j.schres.2013.01.020.
 - Zheng, J et al. (2013) Genome-Wide Contribution of Genotype by Environment Interaction to Variation of Diabetes-Related Traits. *PLoS ONE*, 8(10):e77442, doi:10.1371/journal.pone.0077442.
- ## 2012
- Arrington, C et al. (2012) Exome Analysis of a Family with Pleiotropic Congenital Heart Disease. *Circulation: Cardiovascular Genetics*, doi:10.1161/CIRCGENETICS.111.961797.
 - Balasubbu, S et al. (2012) Evaluation of SNPs on chromosome 2p with Primary Open-Angle Glaucoma in the South Indian Cohort. *Investigative Ophthalmology & Visual Science*, doi:10.1167/iovs.11-8602.
 - Ban, J et al. (2012) Interleukin-1 Beta Polymorphisms are Associated with Lymph Node Metastasis in Korean Patients with Papillary Thyroid Carcinoma. *Immunological Investigations*, 41(8):888-905, doi:10.3109/08820139.2012.724751.
 - Bartolome, N et al. (2012) Genetic polymorphisms, inside and outside the MHC, improve prediction of AS radiographic severity in addition to clinical variables. *Rheumatology*, doi:10.1093/rheumatology/kes056.
 - Bolstad, A et al. (2012) Association between genetic variants in the tumour necrosis factor/lymphotoxin α /lymphotoxin β locus and primary Sjögren's syndrome in Scandinavian samples. *Annals of the Rheumatic Diseases*, doi:10.1136/annrheumdis-2011-200446.
 - Camargo, M et al. (2012) GWAS reveals new recessive loci associated with non-syndromic facial clefting. *European Journal of Medical Genetics*, doi:10.1016/j.ejmg.2012.06.005.
 - Cao, D et al. (2012) CDKN2B Polymorphism Is Associated with Primary Open-Angle Glaucoma (POAG) in the Afro-Caribbean Population of Barbados, West Indies. *PLoS ONE*, 7(6):e39278, doi:10.1371/journal.pone.0039278.
 - Chang, J et al. (2012) Genetic Variants in Telomere-Maintenance Genes and Bladder Cancer Risk. *PLoS ONE*, 7(2):e30665, doi:10.1371/journal.pone.0030665.
 - Chen, L et al. (2012) STK39 is an independent risk factor for male hypertension in Han Chinese. *International Journal of Cardiology*, 154(2):122-127, doi:10.1016/j.ijcard.2010.09.007.
 - Chen, X et al. (2012) ANKRD7 and CYTL1 are novel risk genes for alcohol drinking behavior. *Chinese Medical Journal*, 125(6):1127-1134.
 - Chettier, R (2012) Genome-Wide Array Study Identified Copy Number Variants Loci Associated with Adolescent Idiopathic Scoliosis. *Orthopaedic Proceedings*, 94-B (SUPP XXVII 45).

- Cho, J et al. (2012) Association between CD40 promoter polymorphism (rs1800686, -508 C/T) and ischemic stroke with hypertension in a Korean population. *Molecular & Cellular Toxicology*, 8(3):257-262, doi:10.1007/s13273-012-0031-7.
- Cho, S et al. (2012) Polymorphism of IGF1R Is Associated with Papillary Thyroid Carcinoma in a Korean Population. *Journal of Interferon & Cytokine Research*, 32(9):401-406, doi:10.1089/jir.2011.0084.
- Choe, B et al. (2012) Polymorphisms of TGFBR2 contribute to the progression of papillary thyroid carcinoma. *Molecular and Cellular Toxicology*. 8:1-8, doi:10.1007/s13273-012-0001-0.
- Choi, Y et al. (2012) Transforming growth factor beta receptor II polymorphisms are associated with Kawasaki disease. *Korean Pediatric Society*, 55(1):18-23, doi:10.3345/kjp.2012.55.1.18.
- Coon, S et al. (2012) Polymorphisms of the SAMHD1 gene are not associated with the infection and natural control of HIV-1 in Europeans and African Americans. *AIDS Research and Human Retroviruses*, doi:10.1089/AID.2012.0039.
- Dai, J et al. (2012) Genetic Polymorphism in a VEGF-Independent Angiogenesis Gene ANGPT1 and Overall Survival of Colorectal Cancer Patients after Surgical Resection. *PLoS ONE*,7(4):e34758, doi:10.1371/journal.pone.0034758.
- de Quervain, D et al. (2012) PKCα is genetically linked to memory capacity in healthy subjects and to risk for posttraumatic stress disorder in genocide survivors. *PNAS*, doi:10.1073/pnas.1200857109.
- Di Bernardo, M et al. (2012) Risk of developing chronic lymphocytic leukemia is influenced by HLA-A class I variation. *Leukemia*, doi:10.1038/leu.2012.173.
- Dias, A et al. (2012) Genetic Variation in Putative Salt Taste Receptors and Salt Taste Perception in Humans. *Chemical Senses*, doi:10.1093/chemse/bjs090.
- Dillon, S et al. (2012) Association genetics in *Corymbia citriodora* subsp. *variegata* identifies single nucleotide polymorphisms affecting wood growth and cellulosic pulp yield. *New Phytologist*, doi:10.1111/j.1469-8137.2012.04200.x.
- Dotson, C et al. (2012) Variation in the Gene TAS2R13 is Associated with Differences in Alcohol Consumption in Patients with Head and Neck Cancer. *Chemical Senses*, doi:10.1093/chemse/bjs063.
- Dunn, L et al. (2012) Cytokine gene variation is associated with depressive symptom trajectories in oncology patients and family caregivers. *European Journal of Oncology Nursing*, doi:10.1016/j.ejon.2012.10.004.
- Edea, Z et al. (2012) Comparison of SNP Variation and Distribution in Indigenous Ethiopian and Korean Cattle (Hanwoo) Populations. *Genomics & Informatics*, 10(3):200-205, doi:10.5808/GI.2012.10.3.200.
- Erbllich, J et al. (2012) Genetic predictors of cue- and stress-induced cigarette craving: An exploratory study. *Experimental and Clinical Psychopharmacology*, 20(1):40-46, doi:10.1037/a0025369.
- Erickson, S et al. (2012) Cheek swabs, SNP chips, and CNVs: Assessing the quality of copy number variant calls generated with subject-collected mail-in buccal brush DNA samples on a high-density genotyping microarray. *BMC Medical Genetics*, 13:51, doi:10.1186/1471-2350-13-51.
- Ferencakovic, M et al. (2012) Estimates of autozygosity derived from runs of homozygosity: empirical evidence from selected cattle populations. *Journal of Animal Breeding and Genetics*, doi:10.1111/jbg.12012.
- Ferraresso, M et al. (2012) The potential of steroids and xenobiotic receptor polymorphisms in forecasting cyclosporine pharmacokinetic variability in young kidney transplant recipients. *Pediatric Transplantation*, doi:10.1111/j.1399-3046.2012.01751.x.
- Fortes, M et al. (2012) Gene network analyses of first service conception in Brangus heifers: Use of genome and trait associations, hypothalamic-transcriptome information, and transcription factors. *Journal of Animal Science*, doi:10.2527/jas.2011-4601.
- Gan-Or, Z et al. (2012) Association of Sequence Alterations in the Putative Promoter of RAB7L1 With a Reduced Parkinson Disease Risk. *Archives of Neurology*, 69(1):105-110, doi:10.1001/archneurol.2011.924.
- Guha, S et al. (2012) Implications for health and disease in the genetic signature of the Ashkenazi Jewish population. *Genome Biology*, 13:R2, doi:10.1186/gb-2012-13-1-r2.
- Han, S et al. (2012) A genetic association analysis of polymorphisms, rs2282695 and rs12373539, in the FOSB gene and papillary thyroid cancer. *Experimental and Therapeutic Medicine*, 4(3):519-523.
- Hanson, E et al. (2012) No evidence for an association between ABO blood group and overall ischemic stroke or any of the major etiologic subtypes. *Journal of Thrombosis Research*, doi:10.1016/j.thromres.2012.03.016.
- Hanson, E et al. (2012) Plasma FVII-activating protease (FSAP) antigen and activity levels are increased in ischemic stroke. *Journal of Thrombosis and Haemostasis*, doi:10.1111/j.1538-7836.2012.04692.x.
- Havik, B et al. (2012) DCLK1 Variants Are Associated across Schizophrenia and Attention Deficit/Hyperactivity Disorder. *PLoS ONE*, 7(4):e35424. doi:10.1371/journal.pone.0035424.
- Henderson, L et al. (2012) Variation in MSRA Modifies Risk of Neonatal Intestinal Obstruction in Cystic Fibrosis. *PLoS*

- Genetics*, 8(3):e1002580. doi:10.1371/journal.pgen.1002580.
- Hong, H & Lambert, C et al. (2012) Technical Reproducibility of Genotyping SNP Arrays Used in Genome-Wide Association Studies. *PLoS ONE*, 7(9):e44483, doi:10.1371/journal.pone.0044483.
 - Illi, J et al. (2012) Association between pro- and anti-inflammatory cytokine genes and a symptom cluster of pain, fatigue, sleep disturbance, and depression. *Cytokine*, doi:10.1016/j.cyto.2012.02.015.
 - Jiao, X et al. (2012) Association of markers at chromosome 15q14 in Chinese patients with moderate to high myopia. *Molecular Vision*, 18:2633-2646.
 - Kang, W et al. (2012) Genetic variants of GRIA1 are associated with susceptibility to schizophrenia in Korean population. *Molecular Biology Reports*, 39(12):10697-10703, doi:10.1007/s11033-012-1960-x.
 - Karoly, H et al. (2012) Genetic Influences on Physiological and Subjective Responses to an Aerobic Exercise Session among Sedentary Adults. *Journal of Cancer Epidemiology*, doi:10.1155/2012/540563.
 - Kim, D et al. (2012) Genome-wide Association Analysis of Blood Biomarkers in COPD. *American Journal of Respiratory and Critical Care Medicine*, doi:10.1164/rccm.201206-1013OC.
 - Kim, H et al. (2012) Cerebral vasospasm after sub-arachnoid hemorrhage as a clinical predictor and phenotype for genetic association study. *International Journal of Stroke*, doi:10.1111/j.1747-4949.2012.00823.x.
 - Kim, H et al. (2012) Combined linkage and association analyses identify a novel locus for obesity near PROX1 in Asians. *Obesity*, doi:10.1002/oby.20153.
 - Kim, J et al. (2012) Variations in the Vascular Endothelial Growth Factor Pathway Predict Pulmonary Complications. *The Annals of Thoracic Surgery*, doi:10.1016/j.athoracsur.2012.05.048.
 - Kim, K et al. (2012) Association of Estrogen Receptor 2(ESR 2) Gene Polymorphisms with Ossification of the Posterior Longitudinal Ligament of the Spine. *Journal of Korean Society of Spine Surgery*, 19(1):1-7, doi:10.4184/jkss.2012.19.1.1.
 - Kim, K et al. (2012) Copy Number Variations in Normal Karyotype Acute Myeloid Leukemia and Their Association with Treatment Response. *Basic & Clinical Pharmacology & Toxicology*, doi:10.1111/j.1742-7843.2012.00904.x.
 - Kim, S et al. (2012) Association study between polymorphisms of the PARD3 gene and schizophrenia. *Experimental Therapeutic Medicine*, 3(5):881-885, doi:10.3892/etm.2012.496.
 - Kim, S et al. (2012) A missense polymorphism (rs11466653, Met326Thr) of toll-like receptor 10 (TLR10) is associated with tumor size of papillary thyroid carcinoma in the Korean population. *Endocrine*, doi:10.1007/s12020-012-9783-z.
 - Kim, Y et al. (2012) Polymorphisms in bone morphogenetic protein 3 and the risk of papillary thyroid cancer. *Oncology Letters*, 5(1):336-340, doi:10.3892/ol.2012.962.
 - Koizumi, A et al. (2012) P.R4810K, a polymorphism of RNF213, the susceptibility gene for moyamoya disease, is associated with blood pressure. *Environmental Health and Preventive Medicine*, doi:10.1007/s12199-012-0299-1.
 - Kotulicova, D et al. (2012) Variability of GP6 gene in patients with sticky platelet syndrome and deep venous thrombosis and/or pulmonary embolism. *Blood Coagulation & Fibrinolysis*, 23(6):543-547, doi:10.1097/MBC.0b013e328355a808.
 - Kubisz, P et al. (2012) The prevalence of the platelet glycoprotein VI polymorphisms in patients with sticky platelet syndrome and ischemic stroke. *Hematology*, 17(6):355-362(8).
 - Lambert, C et al. (2012) Learning from our GWAS mistakes: from experimental design to scientific method. *Biostatistics*, doi:10.1093/biostatistics/kxr055.
 - Landgren, S et al. (2012) A novel ARC gene polymorphism is associated with reduced risk of Alzheimer's disease. *Journal of Neural Transmission*, doi:10.1007/s00702-012-0823-x.
 - Lavender, N et al. (2012) Interaction among apoptosis-associated sequence variants and joint effects on aggressive prostate cancer. *BMC Medical Genomics*, 5:11, doi:10.1186/1755-8794-5-11.
 - Lee, B et al. (2012) Genome-wide analysis of copy number variations reveals that aging processes influence body fat distribution in Korea Associated Resource (KARE) cohorts. *Human Genetics*, doi:10.1007/s00439-012-1203-1.
 - Lee, S et al. (2012) Association Study of 27 Annotated Genes for Clozapine Pharmacogenetics: Validation of Preexisting Studies and Identification of a New Candidate Gene, ABCB1, for Treatment Response. *Journal of Clinical Psychopharmacology*, doi:10.1097/JCP.0b013e31825ac35c.
 - Lew, B et al. (2012) Association between IL17A/IL17RA Gene Polymorphisms and Susceptibility to Alopecia Areata in the Korean Population. *Annals of Dermatology*, 24(1), doi:10.5021/ad.2012.24.1.61.
 - Li, Q et al. (2012) ATP-Binding Cassette Transporter G5 and G8 Polymorphisms and Several Environmental Factors with Serum Lipid Levels. *PLoS ONE*, 7(5):e37972, doi:10.1371/journal.pone.0037972.
 - Lin, J et al. (2012) Systematic Evaluation of Apoptotic Pathway Gene Polymorphisms and Lung Cancer Risk. *Carcinogenesis*, doi:10.1093/carcin/bgs192.
 - Lin, M et al. (2012) Genetic variants within ultraconserved elements and susceptibility to right- and left-sided colorectal adenocarcinoma. *Carcinogenesis*, doi:10.1093/carcin/bgs096.
 - Liu, Q et al. (2012) Targeted pharmacogenetic analysis of

- antipsychotic response in the CATIE study. *Pharmacogenomics*, 13(11):1227-1237, doi:10.2217/pgs.12.105.
- Loo, S et al. (2012) Genome-Wide Association Study of Intelligence: Additive Effects of Novel Brain Expressed Genes. *Child and Adolescent Psychiatry*, doi:10.1016/j.jaac.2012.01.006.
 - Luo, M et al. (2012) A genetic polymorphism of FREM1 is associated with resistance against HIV infection in the Pumwani Sex Worker Cohort. *Journal of Virology*, doi:10.1128/JVI.01499-12.
 - Manjarrez-Orduno, N et al. (2012) CSK regulatory polymorphism is associated with systemic lupus erythematosus and influences B-cell signaling and activation. *Nature Genetics*, 44:1227-1230, doi:10.1038/ng.2439.
 - Maran, S et al. (2012) Deleted in Colorectal Cancer (DCC) Gene Polymorphism is Associated with H. pylori Infection among Susceptible Malays from the North-Eastern Region of Peninsular Malaysia. *Hepato-Gastroenterology*, 60(121), doi:10.5754/hge12471.
 - Marinho, S et al. (2012) 17q12-21 Variants are associated with asthma and interact with active smoking in an adult population from the United Kingdom. *Annals of Allergy, Asthma & Immunology*, doi:10.1016/j.anai.2012.03.002.
 - McCaffery, J et al. (2012) Obesity susceptibility loci and dietary intake in the Look AHEAD Trial. *American Journal of Clinical Nutrition*, doi:10.3945/ajcn.111.026955.
 - McCann, B et al. (2012) Associations Between Pro- and Anti-Inflammatory Cytokine Genes and Breast Pain in Women Prior to Breast Cancer Surgery. *Journal of Pain*, doi:10.1016/j.jpain.2011.02.358.
 - McClure, M et al. (2012) Imputation of Microsatellite Alleles from Dense SNP Genotypes for Parental Verification. *Frontiers in Genetics*, 3:140, doi:10.3389/fgene.2012.00140.
 - Miaskowski, C et al. (2012) Evidence of Associations between Cytokine Genes and Subjective Reports of Sleep Disturbance in Oncology Patients and Their Family Caregivers. *PLoS ONE*, 7(7):e40560, doi:10.1371/journal.pone.0040560.
 - Mikacenic, C et al. (2012) Variation in the TLR10/TLR1/TLR6 locus is the major genetic determinant of interindividual difference in TLR1/2-mediated responses. *Genes & Immunity*, doi:10.1038/gene.2012.53.
 - Moran, C et al. (2012) IL-10R polymorphisms are associated with very-early-onset ulcerative colitis. *Inflammatory Bowel Diseases*, doi:10.1002/ibd.22974.
 - Newman, J et al. (2012) High-altitude pulmonary hypertension in cattle (brisket disease): Candidate genes and gene expression profiling of peripheral blood mononuclear cells. *Pulmonary Circulation*, 1(4):462-469, doi:10.4103/2045-8932.93545.
 - Nishida, N et al. (2012) Genome-Wide Association Study Confirming Association of HLA-DP with Protection against Chronic Hepatitis B and Viral Clearance in Japanese and Korean. *PLoS ONE*, 7(6):e39175. doi:10.1371/journal.pone.0039175.
 - O'Mahony, S et al. (2012) Inflammation and Immune-Related Candidate Gene Associations with Acute Lung Injury Susceptibility and Severity: A Validation Study. *PLoS ONE*, 7(12):e51104, doi:10.1371/journal.pone.0051104.
 - Paik, et al. (2012) Gene mapping study for constitutive skin color in an isolated Mongolian population. *Experimental & Molecular Medicine*, 44(3):241-249, doi:10.3858/emm.2012.44.3.020.
 - Pap, D et al. (2012) Genetic variants in the catechol-O-methyltransferase gene are associated with impulsivity and executive function: Relevance for major depression. *Neuropsychiatric Genetics*, doi:10.1002/ajmg.b.32098.
 - Papp, A et al. (2012) Cholesteryl Ester Transfer Protein (CETP) Polymorphisms Affect mRNA Splicing, HDL Levels, and Sex-Dependent Cardiovascular Risk. *PLoS ONE*, 7(3):e31930, doi:10.1371/journal.pone.0031930.
 - Park, B et al. (2012) Genome-wide association study of aspirin-exacerbated respiratory disease in a Korean population. *Human Genetics*, doi:10.1007/s00439-012-1247-2.
 - Park, H et al. (2012) Assessment of two missense polymorphisms (rs4762 and rs699) of the angiotensinogen gene and stroke. *Experimental and Therapeutic Medicine*, 5(1):343-349, doi:10.3892/etm.2012.790.
 - Park, H et al. (2012) Comprehensive genomic analyses associate UGT8 variants with musical ability in a Mongolian population. *Journal of Medical Genetics*, doi:10.1136/jmedgenet-2012-101209.
 - Park, H et al. (2012) A family-based association study after genome-wide linkage analysis identified two genetic loci for renal function in a Mongolian population. *Kidney International*, doi: 10.1038/ki.2012.389.
 - Park, S et al. (2012) LIN28B polymorphisms are associated with central precocious puberty and early puberty in girls. *Korean Journal of Pediatrics*, 55(10):388-392, doi:10.3345/kjpp.2012.55.10.388.
 - Park, T et al. (2012) Associations of CD6, TNFRSF1A, and IRF8 polymorphisms with risk of inflammatory demyelinating diseases. *Neuropathology and Applied Neurobiology*, doi:10.1111/j.1365-2990.2012.01304.x.
 - Peter, I et al. (2012) Association of Type 2 Diabetes Susceptibility Loci With One-Year Weight Loss in the Look AHEAD Clinical Trial. *Obesity*, doi:10.1038/oby.2012.11.
 - Pfenniger, A et al. (2012) Lack of association between connexin40 polymorphisms and coronary artery disease. *Atherosclerosis*, doi:10.1016/j.atherosclerosis.2012.01.050.

- Rizk, N et al. (2012) Association of Adiponectin Gene Polymorphism (+T45G) With Acute Coronary Syndrome and Circulating Adiponectin Levels. *Angiology*, doi:10.1177/0003319712455497.
- Rizk, N et al. (2012) Genetic polymorphisms of ICAM 1 and IL28 as predictors of liver fibrosis severity and viral clearance in hepatitis C genotype 4. *Clinics and Research in Hepatology and Gastroenterology*, doi:10.1016/j.clinre.2012.09.012.
- Rosenfeld, J et al. (2012) Limitations of the Human Reference Genome for Personalized Genomics. *PLoS ONE*, 7(7):e40294. doi:10.1371/journal.pone.0040294.
- Salem, S et al. (2012) IGF2BP2 Alternative Variants Associated with Glutamic Acid Decarboxylase Antibodies Negative Diabetes in Malaysian Subjects. *PLoS ONE*, 7(9):e45573, doi:10.1371/journal.pone.0045573.
- Santos, S et al. (2012) Sequence Variants and Haplotype Analysis of Cat ERBB2 Gene: A Survey on Spontaneous Cat Mammary Neoplastic and Non-Neoplastic Lesions. *International Journal of Molecular Sciences*, 13:2783-2800, doi:10.3390/ijms13032783.
- Sapkota, Y et al. (2012) A two-stage association study identifies methyl-CpG-binding domain protein 2 gene polymorphisms as candidates for breast cancer susceptibility. *European Journal of Human Genetics*, doi:10.1038/ejhg.2011.273.
- Schuetz, J et al. (2012) Genetic Variation in Cell Death Genes and Risk of Non-Hodgkin Lymphoma. *PLoS ONE*, 7(2):e31560, doi:10.1371/journal.pone.0031560.
- Schiotis, R et al. (2012) Both Baseline Clinical Factors and Genetic Polymorphisms Influence the Development of Severe Functional Status in Ankylosing Spondylitis. *PLoS ONE*, 7(9):e43428, doi:10.1371/journal.pone.0043428.
- Sokol, J et al. (2012) Platelet aggregation abnormalities in patients with fetal losses: the GP6 gene polymorphism. *Fertility and Sterility*, doi:10.1016/j.fertnstert.2012.07.1108.
- Sokolowski, M et al. (2012) Glutamatergic GRIN2B and polyaminergic ODC1 genes in suicide attempts: associations and gene-environment interactions with childhood/adolescent physical assault. *Molecular Psychiatry*, doi:10.1038/mp.2012.112.
- Thean, L et al. (2012) Association of Caucasian-Identified Variants with Colorectal Cancer Risk in Singapore Chinese. *PLoS ONE*, 7(8):e42407, doi:10.1371/journal.pone.0042407.
- Tiwari, V et al. (2012) Infantile Spasms Are Associated With Abnormal Copy Number Variations. *Journal of Child Neurology*, doi:10.1177/0883073812453496.
- Toncheva, A et al. (2012) Genetic variants in Protocadherin-1, bronchial hyper-responsiveness, and asthma subphenotypes in German children. *Pediatric Allergy and Immunology*, 23(7):636-641, doi:10.1111/j.1399-3038.2012.01334.x.
- Tupitsyna, T et al. (2012) Association of rs10912745 and rs4916375 polymorphisms located in the cluster of flavin-containing monooxygenase genes, with ischaemic cardioembolic stroke. *Russian Journal of Genetics*, 48(5):572-574, doi:10.1134/S1022795412040138.
- Vazquez-Mena, O et al. (2012) Amplified Genes May Be Overexpressed, Unchanged, or Downregulated in Cervical Cancer Cell Lines. *PLoS ONE*, 7(3):e32667. doi:10.1371/journal.pone.0032667.
- Velez, J et al. (2012) Pooling/bootstrap-based GWAS (pbGWAS) identifies new loci modifying the age of onset in PSEN1 p.Glu280Ala Alzheimer's disease. *Molecular Psychiatry*, doi:10.1038/mp.2012.81.
- Vermehren, J et al. (2012) A Common HLA-DPA1 Variant Is Associated with Hepatitis B Virus Infection but Fails to Distinguish Active from Inactive Caucasian Carriers. *PLoS ONE*, 7(3):e32605. doi:10.1371/journal.pone.0032605.
- Wang, D et al. (2012) Polymorphism in glutamate cysteine ligase catalytic subunit (GCLC) is associated with sulfamethoxazole-induced hypersensitivity in HIV/AIDS patients. *BMC Medical Genomics*, 5:32, doi:10.1186/1755-8794-5-32.
- Wang, K et al. (2012) ANAPC1 and SLCO3A1 are associated with nicotine dependence: Meta-analysis of genome-wide association studies. *Drug and Alcohol Dependence*, doi:10.1016/j.drugalcdep.2012.02.003.
- Wang, K et al. (2012) A novel locus for body mass index on 5p15.2: A meta-analysis of two genome-wide association studies. *Gene*, 500(1):80-84, doi:10.1016/j.gene.2012.03.046.
- Wang, K et al. (2012) PKNOX2 is Associated with Formal Thought Disorder in Schizophrenia: a Meta-Analysis of Two Genome-wide Association Studies. *Journal of Molecular Neuroscience*, doi:10.1007/s12031-012-9787-4.
- Wang, L et al. (2012) Genome-wide association study reveals novel genetic determinants of DNA repair capacity in lung cancer. *Cancer Research*, doi:10.1158/0008-5472.CAN-12-1915.
- Wang, V et al. (2012) Suggestive association between PLA2G12A single nucleotide polymorphism rs2285714 and response to anti-vascular endothelial growth factor therapy in patients with exudative age-related macular degeneration. *Molecular Vision*, 18:2578-2585.
- Wei, H et al. (2012) Genetic Variations in the Transforming Growth Factor Beta Pathway as Predictors of Bladder Cancer Risk. *PLoS ONE*, 7(12):e51758, doi:10.1371/journal.pone.0051758.
- Wei, H et al. (2012) MicroRNA target site polymorphisms in the VHL-HIF1α pathway predict renal cell carcinoma risk.

Molecular Carcinogenesis, doi:10.1002/mc.21917.

- Wong, M et al. (2012) Prediction of susceptibility to major depression by a model of interactions of multiple functional genetic variants and environmental factors. *Molecular Psychiatry*, 17:624-633, doi:10.1038/mp.2012.13.
- Wu, S et al. (2012) Association of SELE genotypes/haplotypes with sE-selectin levels in Taiwanese individuals: interactive effect of MMP9 level. *BMC Medical Genetics*, 3:115, doi:10.1186/1471-2350-13-115.
- Xu, C et al. (2012) Polymorphisms in seizure 6-like gene are associated with bipolar disorder I: Evidence of gene×gender interaction. *Journal of Affective Disorders*, doi:10.1016/j.jad.2012.07.017.
- Yang, H et al. (2012) A Genome-Wide Homozygosity Association Study Identifies Runs of Homozygosity Associated with Rheumatoid Arthritis in the Human Major Histocompatibility Complex. *PLoS ONE*, 7(4):e34840, doi:10.1371/journal.pone.0034840.
- Yang, S et al. (2012) Genetic Variation in CYP17A1 Is Associated with Arterial Stiffness in Diabetic Subjects. *Experimental Diabetes Research*, doi:10.1155/2012/827172.
- Zhou, Z et al. (2012) Genetic variants of NOXA and MCL1 modify the risk of HPV16-associated squamous cell carcinoma of the head and neck. *BMC Cancer*, 12:159, doi:10.1186/1471-2407-12-159.

2011

- Abramsson, A et al. (2011) No Association of LOXL1 Gene Polymorphisms with Alzheimer's Disease. *Neuromolecular Medicine*, doi:10.1007/s12017-011-8144-z.
- Acosta, M et al. (2011) A two-locus genetic interaction between LPHN3 and 11q predicts ADHD severity and long-term outcome. *Translational Psychiatry*, doi:10.1038/tp.2011.14.
- Adkins, R et al. (2011) Parental ages and levels of DNA methylation in the newborn are correlated. *BMC Medical Genetics*, 12:47, doi:10.1186/1471-2350-12-47.
- Adkins, R et al. (2011) Racial differences in gene-specific DNA methylation levels are present at birth. *Birth Defects Research Part A: Clinical and Molecular Teratology*, doi:10.1002/bdra.20770.
- Akbari, M et al. (2011) Mutations in Fanconi anemia genes and the risk of esophageal cancer. *Human Genetics*, doi: 10.1007/s00439-011-0951-7.
- Akkermann, K et al. (2011) Food restriction leads to binge eating dependent upon the effect of the brain-derived neurotrophic factor Val66Met polymorphism. *Psychiatry Research*, 185(1-2):39-43, doi:10.1016/j.psychres.2010.04.024.

- Aggarwal, S et al. (2011) Genetic Variations and Interactions in Anti-inflammatory Cytokine Pathway Genes in the Outcome of Leprosy: A Study Conducted on a MassARRAY Platform. *Journal of Infectious Diseases*, 204(8):1264-1273, doi:10.1093/infdis/jir516.
- Alkalay, A et al. (2011) Genetic dosage compensation in a family with velo-cardio-facial/DiGeorge/22q11. 2 deletion syndrome. *American Journal of Medical Genetics, Part A*, doi:10.1002/ajmg.a.33861.
- Alkelai, A et al. (2011) Identification of new schizophrenia susceptibility loci in an ethnically homogeneous, family-based, Arab-Israeli sample. *FASEB Journal*, doi:10.1096/fj.11-184937.
- Alliey-Rodriguez, N et al. (2011) Genome-wide association of personality traits in bipolar patients. *Psychiatric Genetics*, doi:10.1097/YPG.0b013e3283457a31.
- Aouizerat, B et al. (2011) GWAS for discovery and replication of genetic loci associated with SCA in patients with CAD. *BMC Cardiovascular Disorders*, 11:29, doi:10.1186/1471-2261-11-29.
- Appel, S et al. (2011) Potential association of muscarinic receptor 3 gene variants with primary Sjögren's syndrome. *Annals of Rheumatic Diseases*, doi:10.1136/ard.2010.138966.
- Aquilante, C et al. (2011) Influence of SLCO1B1 Polymorphisms on the Drug-Drug Interaction Between Darunavir/Ritonavir and Pravastatin. *Journal of Clinical Pharmacology*, doi:10.1177/0091270011427907.
- Bae, J et al. (2011) Association between polymorphisms of TAL1 gene and schizophrenia in a Korean population. *Psychiatric Genetics*, doi:10.1097/YPG.0b013e328345464b.
- Bae, J et al. (2011) The Genetic Effect of Copy Number Variations on the Risk of Type 2 Diabetes in a Korean Population. *PLoS ONE*, 6(4):e19091, doi:10.1371/journal.pone.0019091.
- Bakke, P et al. (2011) Candidate genes for COPD in two large data sets. *European Respiratory Journal*, 37(2):255-263, doi: 10.1183/09031936.00091709.
- Bossini-Castillo, L et al. (2011) A GWAS follow-up study reveals the association of IL12RB2 gene with Systemic Sclerosis in Caucasian populations. *Human Molecular Genetics*, doi:10.1093/hmg/ddr522.
- Bulayeva, K et al. (2011) Mapping Genes Related to Early Onset Major Depressive Disorder in Dagestan Genetic Isolates. *Turkish Journal of Psychiatry*.
- Bunyavanich, S et al. (2011) Gene-by-environment effect of house dust mite on purinergic receptor P2Y12 (P2RY12) and lung function in children with asthma. *Clinical and Experimental Allergy*, doi:10.1111/j.1365-2222.2011.03874.x.
- Bunyavanich, S et al. (2011) Thymic stromal lymphopoietin (TSLP) is associated with allergic rhinitis in children with

- asthma. *Clinical and Molecular Allergy*, doi:10.1186/1476-7961-9-1.
- Cáliz, R et al. (2011) The C677T polymorphism in the MTHFR gene is associated with the toxicity of methotrexate in a Spanish rheumatoid arthritis population. *Scandinavian Journal of Rheumatology*, doi:10.3109/03009742.2011.617312.
 - Cantor, R et al. (2011) Detecting rare variant associations: methods for testing haplotypes and multiallelic genotypes. *Genetic Epidemiology*, 35(Suppl. 1):S85-S91, doi:10.1002/gepi.20656.
 - Carlsten, C et al. (2011) GSTP1 polymorphism modifies risk for incident asthma associated with nitrogen dioxide in a high-risk birth cohort. *Occupational and Environmental Medicine*, doi:10.1136/oem.2010.063560.
 - Carrol, E et al. (2011) The IL1RN Promoter rs4251961 Correlates with IL-1 Receptor Antagonist Concentrations in Human Infection and Is Differentially Regulated by GATA-1. *Journal of Immunology*, doi:10.4049/jimmunol.1002402.
 - Chen, C et al. (2011) Association study of catechol-O-methyltransferase gene polymorphisms with schizophrenia and psychopathological symptoms in Han Chinese. *Genes, Brain, and Behavior*, doi:10.1111/j.1601-183X.2011.00670.x.
 - Chen, J et al. (2011) Mutations in FYCO1 Cause Autosomal-Recessive Congenital Cataracts. *American Journal of Human Genetics*, 88(6):827-838, doi:10.1016/j.ajhg.2011.05.008.
 - Chen, J et al. (2011) Susceptibility Locus for Lung Cancer at 15q25.1 Is Not Associated with Risk of Pancreatic Cancer. *Pancreas*, 40(6):872-875, doi:10.1097/MPA.0b013e318219dafa.
 - Chen, Y et al. (2011) Copy Number Variations at the Prader-Willi Syndrome Region on Chromosome 15 and associations with Obesity in Whites. *Obesity*, 19(6):1229-1234, doi:10.1038/oby.2010.323.
 - Cheong, H et al. (2011) Screening of genetic variations of SLC15A2, SLC22A1, SLC22A2 and SLC22A6 genes. *Journal of Human Genetics*, 56:666-670, doi:10.1038/jhg.2011.77.
 - Christensen, G & Lambert, C (2011) Search for compound heterozygous effects in exome sequence of unrelated subjects. *BMC Proceedings*, 5(Suppl 9):S95, doi: 10.1186/1753-6561-5-S9-S95.
 - Chung, W et al. (2011) Association of Toll-Like Receptor 5 Gene Polymorphism with Susceptibility to Ossification of the Posterior Longitudinal Ligament of the Spine in Korean Population. *Journal of Korean Neurosurgical Society*, 49:8-12, 10.3340/jkns.2011.49.1.8.
 - De Luca, V et al. (2011) Genetic interactions in the adrenergic system genes: analysis of antipsychotic-induced weight gain. *Human Psychopharmacology: Clinical & Experimental*, doi:10.1002/hup.1219.
 - Delgado-Lista, J et al. (2011) Gene variations of nitric oxide synthase regulate the effects of a saturated fat rich meal on endothelial function. *Clinical Nutrition*, 30(2):234-238, doi:10.1016/j.clnu.2010.08.006.
 - Doehring, A et al. (2011) Role of nucleoside transporters SLC28A2/3 and SLC29A1/2 genetics in ribavirin therapy: protection against anemia in patients with chronic hepatitis C. *Pharmacogenetics and Genomics*, doi:10.1097/FPC.0b013e32834412e7.
 - Eder, L et al. (2011) IL13 gene polymorphism is a marker for psoriatic arthritis among psoriasis patients. *Annals of the Rheumatic Diseases*, doi:10.1136/ard.2010.147421.
 - Eun, Y et al. (2011) Associations between promoter polymorphism -106A/G of interleukin-11 receptor alpha and papillary thyroid cancer in Korean population. *Surgery*, doi:10.1016/j.surg.2011.07.014.
 - Favis, R et al. (2011) Genetic variation associated with bortezomib-induced peripheral neuropathy. *Pharmacogenetics and Genomics*, doi:10.1097/FPC.0b013e3283436b45.
 - Fernandez, T et al. (2011) Rare Copy Number Variants in Tourette Syndrome Disrupt Genes in Histaminergic Pathways and Overlap with Autism. *Biological Psychiatry*, doi:10.1016/j.biopsych.2011.09.034.
 - Gan-Or, Z et al. (2011) The Age at Motor Symptoms Onset in LRRK2-Associated Parkinson's Disease is Affected by a Variation in the MAPT Locus: A Possible Interaction. *Journal of Molecular Neuroscience*, doi:10.1007/s12031-011-9641-0.
 - Garaulet, M et al. (2011) PPARγ Pro12Ala interacts with fat intake for obesity and weight loss in a behavioural treatment based on the Mediterranean diet. *Molecular Nutrition & Food Research*, 55(12):1771-1779, doi:10.1002/mnfr.201100437.
 - Gautam, P et al. (2011) Spectrum of large copy number variations in 26 diverse Indian populations: potential involvement in phenotypic diversity. *Human Genetics*, doi:10.1007/s00439-011-1050-5.
 - Go, Y et al. (2011) Genome-Wide Association Study Among Four Horse Breeds Identifies a Common Haplotype Associated with the In Vitro CD3+ T Cell Susceptibility/Resistance to Equine Arteritis Virus Infection. *Journal of Virology*, doi:10.1128/JVI.06068-11.
 - Goodarzi, M et al. (2011) Replication of association of a novel insulin receptor gene polymorphism with polycystic ovary syndrome. *Fertility and Sterility*, doi:10.1016/j.fertnstert.2011.01.015.
 - Gorlova, O et al. (2011) Identification of Novel Genetic Markers Associated with Clinical Phenotypes of Systemic Sclerosis through a Genome-Wide Association Strategy. *PLoS Genetics*,

- 7(7):e1002178, doi:10.1371/journal.pgen.1002178.
- Greenbaum, L et al. (2011) Support for association of HSPG2 with tardive dyskinesia in Caucasian populations. *Pharmacogenomics Journal*, doi:10.1038/tpj.2011.32.
 - Hallman, D et al. (2011) The association of variants in the FTO gene with longitudinal body mass index profiles in non-Hispanic white children and adolescents. *International Journal of Obesity*, doi:10.1038/ijo.2011.190.
 - Hamza, T et al. (2011) Genome-Wide Gene-Environment Study Identifies Glutamate Receptor Gene GRIN2A as a Parkinson's Disease Modifier Gene via Interaction with Coffee. *PLoS Genetics*, 7(8):e1002237, doi:10.1371/journal.pgen.1002237.
 - Havik, B et al. (2011) The Complement Control-Related Genes CSMD1 and CSMD2 Associate to Schizophrenia. *Biological Psychiatry*, doi:10.1016/j.biopsych.2011.01.030.
 - Hersh, C et al. (2011) SOX5 is a Candidate Gene for COPD Susceptibility and is Necessary for Lung Development. *American Journal of Respiratory and Critical Care Medicine*, doi:10.1164/rccm.201010-1751OC.
 - Hickey, J et al. (2011) Factors Affecting the Accuracy of Genotype Imputation in Populations from Several Maize Breeding Programs. *Crop Science*, 52(2):654-663, doi:10.2135/cropsci2011.07.0358.
 - Himes, B et al. (2011) Association of SERPINE2 with Asthma. *CHEST*, doi:10.1378/chest.10-2973.
 - Hong, I et al. (2011) Association of the Oncostatin M Receptor Gene Polymorphisms with Papillary Thyroid Cancer in the Korean Population. *Clinical & Experimental Otorhinolaryngology*, 4(4):193-198, doi:10.3342/ceo.2011.4.4.193.
 - Hosking, F et al. (2011) Search for inherited susceptibility to radiation-associated meningioma by genomewide SNP linkage disequilibrium mapping. *British Journal of Cancer*, 104:1049-1054, doi:10.1038/bjc.2011.61.
 - Janicki, P et al. (2011) Genome-wide Association Study Using Pooled DNA to Identify Candidate Markers Mediating Susceptibility to Postoperative Nausea and Vomiting. *Anesthesiology*, doi:10.1097/ALN.0b013e31821810c7.
 - Jones, M et al. (2011) Metabolic and cardiovascular genes in polycystic ovary syndrome: A candidate-wide association study (CWAS). *Steroids*, doi:10.1016/j.steroids.2011.12.005.
 - Juko-Pecirep, I et al. (2011) Evaluation of Fanconi anaemia genes FANCA, FANCC and FANCL in cervical cancer susceptibility. *Gynecologic Oncology*, 122(2):377-381, doi:10.1016/j.ygyno.2011.04.014.
 - Jun, J et al. (2012) Association Study of Fibroblast Growth Factor 2 and Fibroblast Growth Factor Receptors Gene Polymorphism in Korean Ossification of the Posterior Longitudinal Ligament Patients. *Journal of Korean Neurosurgical Society*, 52(1):7-13, doi:10.3340/jkns.2012.52.1.7.
 - Kerner, B et al. (2011) Genome-Wide Association Study in Bipolar Patients Stratified by Co-Morbidity. *PLoS ONE*, 6(12):e28477, doi:10.1371/journal.pone.0028477.
 - Kim, D et al. (2011) Association between interleukin 15 receptor, alpha (IL15RA) polymorphism and Korean patients with ossification of the posterior longitudinal ligament. *Cytokine*, doi:10.1016/j.cyto.2011.05.016.
 - Kim, D et al. (2011) A Promoter polymorphism (rs17222919, -1316T/G) of ALOX5AP is associated with intracerebral hemorrhage in Korean population. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, doi:10.1016/j.plefa.2011.07.004.
 - Kim, H et al. (2011) A replication study of genome-wide CNV association for hepatic biomarkers identifies nine genes associated with liver function. *BMB Reports*, 44(9):578-583.
 - Kim, H et al. (2011) Polymorphisms of IGFI contribute to the development of ischemic stroke. *Experimental and Therapeutic Medicine*, 3(1):93-98, doi:10.3892/etm.2011.372.
 - Kim, S et al. (2011) A missense polymorphism (rs11895564, Ala380Thr) of integrin alpha 6 is associated with the development and progression of papillary thyroid carcinoma in Korean population. *Journal of the Korean Surgical Society*, 81(5):308-315, doi:10.4174/jkss.2011.81.5.308.
 - Kim, S et al. (2011) Associations of EPHB1 polymorphisms with hepatocellular carcinoma in the Korean population. *Human Immunology*, doi:10.1016/j.humimm.2011.06.014.
 - Kim, S et al. (2011) Coding Single-Nucleotide Polymorphisms of Interleukin-1 Gene Cluster Are Not Associated with Kawasaki Disease in the Korean Population. *Pediatric Cardiology*, doi:10.1007/s00246-010-9858-7.
 - Kim, S et al. (2011) Lack of association between promoter polymorphisms of HLA-G gene and rheumatoid arthritis in Korean population. *Rheumatology International*, doi:10.1007/s00296-010-1735-4.
 - Kim, S et al. (2011) Matrix Metalloproteinase-3 Gene Polymorphisms Are Associated with Ischemic Stroke. *Journal of Interferon & Cytokine Research*, doi:10.1089/jir.2011.0022.
 - Kim, S et al. (2011) Promoter polymorphisms of the HLA-G gene, but not the HLA-E and HLA-F genes, is associated with non-segmental vitiligo patients in the Korean population. *Archives of Dermatological Research*, doi:10.1007/s00403-011-1160-x.
 - Landgren, S et al. (2011) The Ghrelin Signalling System Is Involved in the Consumption of Sweets. *PLoS ONE*, 6(3):e18170, doi:10.1371/journal.pone.0018170.
 - Landwehr, R et al. (2011) Mutation analysis of the SLX4/FANCP gene in hereditary breast cancer. *Breast Cancer Research and Treatment*, doi:10.1007/s10549-011-1681-1.

- Lange, N et al. (2011) Comprehensive genetic assessment of a functional TLR9 promoter polymorphism: no replicable association with asthma or asthma-related phenotypes. *BMC Medical Genetics*, doi:10.1186/1471-2350-12-26.
- Lau, Detal. (2011) HLA-G polymorphisms, genetic susceptibility, and clinical outcome in childhood neuroblastoma. *Tissue Antigens*, doi:10.1111/j.1399-0039.2011.01781.x.
- Lett, T et al. (2011) ANK3, CACNA1C and ZNF804A gene variants in bipolar disorders and psychosis subphenotype. *World Journal of Biological Psychiatry*, 12(5):392-397, doi:10.3109/15622975.2011.564655.
- Li, W et al. (2011) Association study of RELN polymorphisms with schizophrenia in Han Chinese population. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, doi:10.1016/j.pnpbp.2011.04.007.
- Lim, Y et al. (2011) Association between TGFBR2 Gene Polymorphism (rs2228048, Asn389Asn) and Intracerebral Hemorrhage in Korean Population. *Immunological Investigations*, doi:10.3109/08820139.2011.559498.
- Lin, C et al. (2011) Propensity score analysis in the Genetic Analysis Workshop 17 simulated data set on independent individuals. *BMC Proceedings*, 5(Suppl9):S71, doi:10.1186/1753-6561-5-S9-S71.
- Lin, M et al. (2011) Genetic variations in the transforming growth factor beta pathway as predictors of survival in advanced non-small cell lung cancer. *Carcinogenesis*, doi:10.1093/carcin/bgr067.
- Liu, W et al. (2011) Identification of RNF213 as a Susceptibility Gene for Moyamoya Disease and Its Possible Role in Vascular Development. *PLoS ONE*, 6(7):e22542, doi:10.1371/journal.pone.0022542.
- Liu, X et al. (2011) 2p15-p16.1 microdeletion syndrome: molecular characterization and association of the OTX1 and XPO1 genes with autism spectrum disorders. *European Journal of Human Genetics*, doi:10.1038/ejhg.2011.112.
- Meyer, A et al. (2011) Apoptosis gene polymorphisms and risk of prostate cancer: A hospital-based study of German patients treated with brachytherapy. *Urologic Oncology: Seminars and Original Investigations*, doi:10.1016/j.urolonc.2010.09.011.
- Millan Sanchez, M et al. (2011) BDNF polymorphism predicts the rate of decline in skilled task performance and hippocampal volume in healthy individuals. *Translational Psychiatry*, doi:10.1038/tp.2011.47.
- Murphy, T et al. (2011) Risk and protective genetic variants in suicidal behaviour: association with SLC1A2, SLC1A3, 5-HT1B & NTRK2 polymorphisms. *Behavioral and Brain Functions*, 7:22, doi:10.1186/1744-9081-7-22.
- Nair, A et al. (2011) Association analysis of common variants in FOXO3 with type 2 diabetes in a South Indian Dravidian population. *Gene*, doi:10.1016/j.gene.2011.09.032.
- Nielsen, K et al. (2011) Promoter polymorphisms in the chitinase 3-like 1 gene influence the serum concentration of YKL-40 in Danish patients with rheumatoid arthritis and in healthy subjects. *Arthritis Research & Therapy*, 13:R109, doi:10.1186/ar3391.
- Oh, I et al. (2011) Association of CFTR gene polymorphisms with papillary thyroid cancer. *Oncology Letters*, doi:10.3892/ol.2011.479.
- Olsson, S et al. (2011) Genetic variation in complement component C3 shows association with ischaemic stroke. *European Journal of Neurology*, doi:10.1111/j.1468-1331.2011.03377.x.
- Olsson, S et al. (2011) No evidence for an association between genetic variation at the MMP2 and MMP9 loci and aneurysmal subarachnoid haemorrhage. *Journal of Neurology*, doi:10.1007/s00415-011-6157-z.
- Park, H et al. (2011) A polymorphism (rs2073287) of glutamate receptor, metabotropic 1 (GRM1) is associated with an increased risk of stroke in Korean population. *Molecular & Cellular Toxicology*, 7(3):243-250, doi:10.1007/s13273-011-0030-0.
- Park, H et al. (2011) Polymorphisms of Integrin, Alpha 6 Contribute to the Development and Neurologic Symptoms of Intracerebral Hemorrhage in Korean Population. *Journal of Korean Neurosurgical Society*, 50(4):293-298.
- Park, S et al. (2011) Impact of IL2 and IL2RB Genetic Polymorphisms in Kidney Transplantation. *Transplantation Proceedings*, doi:10.1016/j.transproceed.2011.06.014.
- Park, T et al. (2011) Possible Association of SRC22A2 Polymorphisms with Aspirin-Intolerant Asthma. *International Archives of Allergy and Immunology*, 155:395-402, doi:10.1159/000321267.
- Papassotiropoulos, A et al. (2011) A genome-wide survey and functional brain imaging study identify CTNBL1 as a memory-related gene. *Molecular Psychiatry*, doi:10.1038/mp.2011.148.
- Permuth-Wey, J et al. (2011) MicroRNA Processing and Binding Site Polymorphisms are not Replicated in the Ovarian Cancer Association Consortium. *Cancer Epidemiology Biomarkers and Prevention*, doi:10.1158/1055-9965.EPI-11-0397.
- Pinsonneault, J et al. (2011) Dopamine Transporter Gene Variant Affecting Expression in Human Brain is Associated with Bipolar Disorder. *Neuropsychopharmacology*, 36:1644-1655, doi:10.1038/npp.2011.45.
- Pollock, R et al. (2011) Differential major histocompatibility

- complex class I chain-related A allele associations with skin and joint manifestations of psoriatic disease. *Tissue Antigens*, doi:10.1111/j.1399-0039.2011.01670.x.
- Qu, C et al. (2011) Cost-effective prediction of gender-labeling errors and estimation of gender-labeling error rates in candidate-gene association studies. *Frontiers in Statistical Genetics and Methodology*, doi:10.3389/fgene.2011.00031.
 - Ramsey, T et al. (2011) Evidence for a SULT4A1 haplotype correlating with baseline psychopathology and atypical antipsychotic response. *Pharmacogenomics*, 12(4):471-480, doi:10.2217/pgs.10.205.
 - Ramu, P et al. (2011) Candidate Gene Polymorphisms of Renin Angiotensin System and Essential Hypertension in a South Indian Tamilian Population. *International Journal of Human Genetics*, 11(1):31-40.
 - Rainero, I et al. (2011) Evidence for an association between migraine and the hypocretin receptor 1 gene. *Journal of Headache and Pain*, doi:10.1007/s10194-011-0314-8.
 - Rempel, J et al. (2011) The potential influence of KIR cluster profiles on disease patterns of Canadian Aboriginals and other indigenous peoples of the Americas. *European Journal of Human Genetics*, 19:1276-1280, doi:10.1038/ejhg.2011.114.
 - Repnik, K et al. (2011) Haplotype in the IBD5 region is associated with refractory Crohn's disease in Slovenian patients and modulates expression of the SLC22A5 gene. *Journal of Gastroenterology*, 46(9):1081-1091, doi:10.1007/s00535-011-0426-6.
 - Rincon, G et al. (2011) Comparison of buccal and blood-derived canine DNA either native or whole genome amplified, for arraybased genome-wide association studies. *BMC Research Notes*, 4:226, doi:10.1186/1756-0500-4-226.
 - Rincon, G et al. (2011) Performance of bovine high-density genotyping platforms in Holsteins and Jerseys. *Journal of Dairy Science*, 94(12):6116-6121, doi:10.3168/jds.2011-4764.
 - Rincon, G et al. Polymorphisms in genes in the SREBP1 signalling pathway and SCD are associated with milk fatty acid composition in Holstein cattle. *Journal of Dairy Science*, doi:10.1017/S002202991100080X.
 - Saif-Ali, R et al. (2011) Association of Hepatocyte Nuclear Factor 4 Alpha Polymorphisms with Type 2 Diabetes With or Without Metabolic Syndrome in Malaysia. *Biochemical Genetics*, doi:10.1007/s10528-011-9472-2.
 - Saif-Ali, R et al. (2011) Hepatocyte nuclear factor 4 alpha P2 promoter variants associate with insulin resistance. *Acta Biochimica Polonica*.
 - Saif-Ali, R et al. (2011) KCNQ1 Haplotypes Associate with Type 2 Diabetes in Malaysian Chinese Subjects. *International Journal of Molecular Sciences*, 12(9):5705-5718, doi:10.3390/ijms12095705.
 - Salinas-Sánchez, A et al. (2011) GSTT1, GSTM1, and CYP1B1 gene polymorphisms and susceptibility to sporadic renal cell cancer. *Urologic Oncology: Seminars and Original Investigations*, doi:10.1016/j.urolonc.2010.10.001.
 - Sanchez, M et al. (2011) BDNF polymorphism predicts the rate of decline in skilled task performance and hippocampal volume in healthy individuals. *Translational Psychiatry*, 1(51), doi:10.1038/tp.2011.47.
 - Sehrawat, B et al. (2011) Potential novel candidate polymorphisms identified in genome-wide association study for breast cancer susceptibility. *Human Genetics*, doi:10.1007/s00439-011-0973-1.
 - Shen, G et al. (2011) Human genetic variants of homologous recombination repair genes first found to be associated with Epstein-Barr virus antibody titers in healthy Cantonese. *International Journal of Cancer*, doi:10.1002/ijc.25759.
 - Stanescu, H et al. (2011) Risk HLA-DQA1 and PLA2R1 Alleles in Idiopathic Membranous Nephropathy. *The New England Journal of Medicine*, 364:616-26.
 - Stoltenberg, S et al. (2011) Associations among types of impulsivity, substance use problems and Neurexin-3 polymorphisms. *Drug and Alcohol Dependence*, doi:10.1016/j.drugalcdep.2011.05.025.
 - Szczypiorska, M et al. (2011) ERAP1 polymorphisms and haplotypes are associated with ankylosing spondylitis susceptibility and functional severity in a Spanish population. *Rheumatology*, doi:10.1093/rheumatology/ker229.
 - Taylor, K et al. (2011) Risk Alleles for Systemic Lupus Erythematosus in a Large Case-Control Collection and Associations with Clinical Subphenotypes. *PLoS Genetics*, 7(2):e1001311, doi:10.1371/journal.pgen.1001311.
 - Tayo, B et al. (2011) Genetic Background of Patients from a University Medical Center in Manhattan: Implications for Personalized Medicine. *PLoS ONE*, 6(5):e19166, doi:10.1371/journal.pone.0019166.
 - Tejedor, M et al. (2011) New contributions to the study of common double mutants in the human LDL receptor gene. *Naturwissenschaften*, doi:10.1007/s00114-011-0845-5.
 - Teltsh, O et al. (2011) Oxytocin and vasopressin genes are significantly associated with schizophrenia in a large Arab-Israeli pedigree. *International Journal of Neuropsychopharmacology*, doi:10.1017/S1461145711001374.
 - Tjarnlund-Wolf, A et al. (2011) No evidence for an association between genetic variation at the SERPINI1 locus and ischemic stroke. *Journal of Neurology*, doi:10.1007/s00415-011-6022-0.
 - Van Steen, K (2011) Perspectives on genome-wide multi-stage family-based association studies. *Statistics in Medicine*, doi:10.1002/sim.4259.

- Visscher, H et al. (2011) Pharmacogenomic Prediction of Anthracycline-Induced Cardiotoxicity in Children. *Journal of Clinical Oncology*, doi:10.1200/JCO.2010.34.3467.
- Wang, D et al. (2011) Human N-acetyltransferase 1 *10 and *11 alleles increase protein expression through distinct mechanisms and associate with sulfamethoxazole-induced hypersensitivity. *Pharmacogenetics and Genomics*, 21(10):652-664, doi:10.1097/FPC.0b013e3283498ee9.
- Wang, K et al. (2011) Genome-wide association analysis of age at onset in schizophrenia in a European-American sample. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, doi:10.1002/ajmg.b.31209.
- Wang, K et al. (2011) Genome-wide association study identifies 5q21 and 9p24.1 (KDM4C) loci associated with alcohol withdrawal symptoms. *Journal of Neural Transmission*, doi:10.1007/s00702-011-0729-z.
- Wang, K et al. (2011) A meta-analysis of two genome-wide association studies identifies 3 new loci for alcohol dependence. *Journal of Psychiatric Research*, doi:10.1016/j.jpsychires.2011.06.005.
- Wickramasinghe, S et al. (2011) Variants in the pregnancy-associated plasma protein-A2 gene on Bos taurus autosome 16 are associated with daughter calving ease and productive life in Holstein cattle. *Journal of Dairy Science*, 94(3):1552-1558, doi:10.3168/jds.2010-3237.
- Wu, X et al. (2011) A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. *Human Molecular Genetics*, doi:10.1093/hmg/ddr479.
- Yesavage, J et al. (2011) Circadian Clock Gene Polymorphisms and Sleep–Wake Disturbance in Alzheimer Disease. *Journal of Geriatric Psychiatry*, doi:10.1097/JGP.0b013e31820d92b2.
- Yin, J et al. Genetic Variants in TGF-β Pathway Are Associated with Ovarian Cancer Risk. *PLoS ONE*, 6(9):e25559, doi:10.1371/journal.pone.0025559.
- Yin, R et al. (2011) Apolipoprotein A1/C3/A5 haplotypes and serum lipid levels. *Lipids in Health and Disease*, 10:140, doi:10.1186/1476-511X-10-140.
- Yin, R et al. (2011) Interactions of the Apolipoprotein A5 Gene Polymorphisms and Alcohol Consumption on Serum Lipid Levels. *PLoS ONE*, 6(3):e17954. doi:10.1371/journal.pone.0017954.
- Yoo, K et al. (2011) Association of IL10, IL10RA, and IL10RB Polymorphisms with Benign Prostate Hyperplasia in Korean Population. *Journal of Korean Medical Science*, 26(5):659-664, doi:10.3346/jkms.2011.26.5.659.

2010

- Alonso-Villaverde, C et al. (2010) Host–pathogen interactions in the development of metabolic disturbances and atherosclerosis in HIV infection: The role of CCL2 genetic variants. *Cytokine*, 51(3):251-258, doi:10.1016/j.cyto.2010.05.008.
- Alpman, A et al. (2010) Multidrug Resistance 1 (MDR1) Gene Polymorphisms in Childhood Drug-Resistant Epilepsy. *Journal of Child Neurology*, 0:0883073810368997v1.
- Andersson, N et al. (2010) A variant near the interleukin-6 gene is associated with fat mass in Caucasian men. *International Journal of Obesity*, doi:10.1038/ijo.2010.27.
- Aston, K et al. (2010) Evaluation of 172 candidate polymorphisms for association with oligozoospermia or azoospermia in a large cohort of men of European descent. *Human Reproduction*, 25(6):1383-1397, doi:10.1093/humrep/deq081.
- Bae, J et al. (2010) Identification of Genome-wide Copy Number Variations and a Family-based Association Study of Avellino Corneal Dystrophy. *Ophthalmology*, doi:10.1016/j.optha.2009.11.021.
- Balasubbu, S et al. (2010) Association Analysis of Nine Candidate Gene Polymorphisms in Indian Patients with Type 2 Diabetic Retinopathy. *BMC Medical Genetics*, 11:158, doi:10.1186/1471-2350-11-158.
- Ban, J et al. (2010) Association between polymorphisms of matrix metalloproteinase 11 (MMP-11) and Kawasaki disease in the Korean population. *Life Sciences*, 86(19-20):756-759.
- Belisle, S et al. (2010) IL-2 and IL-10 gene polymorphisms are associated with respiratory tract infection and may modulate the effect of vitamin E on lower respiratory tract infections in elderly nursing home residents. *American Journal of Clinical Nutrition*, doi:10.3945/ajcn.2010.29207.
- Blaut, M et al. (2010) TOPBP1 missense variant Arg309Cys and breast cancer in a German hospital-based case-control study. *Journal of Negative Results in Biomedicine*, doi:10.1186/1477-5751-9-9.
- Burdick, K et al. (2010) Genetic Variation in the MET Proto-oncogene is Associated with Schizophrenia and General Cognitive Ability. *American Journal of Psychiatry*, 167(4):436-443, doi:10.1176/appi.ajp.2009.09050615.
- Buxens, A et al. (2010) Can we predict top-level sports performance in power vs endurance events? A genetic approach. *Scandinavian Journal of Medicine & Science in Sports*, doi:10.1111/j.1600-0838.2009.01079.x.
- Castelar, L et al. (2010) Interleukin-18 and interferon-gamma polymorphisms in Brazilian human immunodeficiency virus-1-infected patients presenting with lipodystrophy syndrome.

- Tissue Antigens*, doi:10.1111/j.1399-0039.2010.01471.x.
- Cathomas, F et al. (2010) Fine-mapping of the brain-derived neurotrophic factor (BDNF) gene supports an association of the Val66Met polymorphism with episodic memory. *International Journal of Neuropsychopharmacology*, doi:10.1017/S146114571000051.
 - Cenarro, A et al. (2010) A presumptive new locus for autosomal dominant hypercholesterolemia mapping to 8q24.22. *Clinical Genetics*, doi:10.1111/j.1399-0004.2010.01485.x.
 - Crawford, K et al. (2010) Pharmacokinetic/Pharmacodynamic Modeling of the Antiretroviral Activity of the CCR5 Antagonist Vicriviroc in Treatment Experienced HIV-Infected Subjects (ACTG Protocol 5211). *JAIDS Journal of Acquired Deficiency Syndromes*, 53(5):598-605, doi:10.1097/QAI.0b013e3181c9caac.
 - Daborg, J et al. (2010) Association of the RAGE G82S polymorphism with Alzheimer's disease. *Journal of Neural Transmission*, doi:10.1007/s00702-010-0437-0.
 - Delgado-Lista, J et al. (2010) ABCA1 Gene Variants Regulate Postprandial Lipid Metabolism in Healthy Men. *Arteriosclerosis, Thrombosis, and Vascular Biology*, doi:10.1161/ATVBAHA.109.202580.
 - Dellinger, A et al. (2010) Comparative analyses of seven algorithms for copy number variant identification from single nucleotide polymorphism arrays. *Nucleic Acids Research*, doi:10.1093/nar/gkq040.
 - Dillon, S et al. (2010) Allelic Variation in Cell Wall Candidate Genes Affecting Solid Wood Properties in Natural Populations and Land Races of *Pinus radiata*. *Genetics*, doi:10.1534/genetics.110.116582.
 - Doshi, A et al. (2010) A Promoter Polymorphism of the Endothelial Nitric Oxide Synthase Gene is Associated With Reduced mRNA and Protein Expression in Failing Human Myocardium. *Journal of Cardiac Failure*.
 - Earl, J et al. (2010) Single-Nucleotide Polymorphism (SNP) Analysis to Associate Cancer Risk. *Methods in Molecular Biology, Cancer Gene Profiling*, doi:10.1007/978-1-59745-545-9.
 - Emanuelli, F et al. (2010) A candidate gene association study on muscat flavor in grapevine (*Vitis vinifera* L.). *BMC Plant Biology*, 10:241, doi:10.1186/1471-2229-10-241.
 - Fallin, M et al. (2010) Linkage and association on 8p21.2-p21.1 in schizophrenia. *American Journal of Medical Genetics, Part B: Neuropsychiatric Genetics*, 156(2):188-197, doi:10.1002/ajmg.b.31154.
 - Figg, W et al. (2010) A Phase I Clinical Study of High Dose Ketoconazole Plus Weekly Docetaxel for Metastatic Castration Resistant Prostate Cancer. *Journal of Urology*, 183(6):2219-2226, doi:10.1016/j.juro.2010.02.020.
 - Garaulet, M et al. (2010) CLOCK gene is implicated in weight reduction in obese patients participating in a dietary programme based on the Mediterranean diet. *International Journal of Obesity*, doi:10.1038/ijo.2009.255.
 - Gaudet, M et al. (2010) Common Genetic Variants and Modification of Penetrance of BRCA2-Associated Breast Cancer. *PLoS Genetics*, 6(10):e1001183, doi:10.1371/journal.pgen.1001183.
 - Greenbaum, L et al. (2010) Evidence for association of the GLI2 gene with tardive dyskinesia in patients with chronic schizophrenia. *Movement Disorders*, 25(16):2809-2817, doi:10.1002/mds.23377.
 - Guo, Y et al. (2010) Genome-Wide Association Study Identifies ALDH7A1 as a Novel Susceptibility Gene for Osteoporosis. *PLoS Genetics*, 6(1):e1000806, doi:10.1371/journal.pgen.1000806.
 - Hahn, W et al. (2010) Linkage and Association Study of Neurotrophins and their receptors as Novel Susceptibility Genes for Childhood IgA Nephropathy. *Pediatric Research*, doi:10.1203/PDR.0b013e31820b9365.
 - Hamza, T et al. (2010) Common genetic variation in the HLA region is associated with late-onset sporadic Parkinson's disease. *Nature Genetics*, doi:10.1038/ng.642.
 - Haritunians, T et al. (2010) Genetic Predictors of Medically Refractory Ulcerative Colitis. *Inflammatory Bowel Syndrome*, 16(11):1830-40, doi:10.1002/ibd.21293.
 - Hashikata, H et al. (2010) Confirmation of an Association of Single-Nucleotide Polymorphism rs1333040 on 9p21 With Familial and Sporadic Intracranial Aneurysms in Japanese Patients. *Stroke*, doi:10.1161/STROKEAHA.109.576694.
 - Hellard, S et al. (2010) Polymorphisms in SREBF1 and SREBF2, two antipsychotic-activated transcription factors controlling cellular lipogenesis, are associated with schizophrenia in German and Scandinavian samples. *Molecular Psychiatry*, 15:463-472, doi:10.1038/mp.2008.110.
 - Hersh, C et al. (2010) Multi-Study Fine Mapping of Chromosome 2q Identifies XRCC5 as a COPD Susceptibility Gene. *Respiratory and Critical Care Medicine*, doi:10.1164/rccm.200910-1586OC.
 - Himes, B et al. (2010) Asthma-susceptibility variants identified using probands in case-control and family-based analyses. *BMC Medical Genetics*, 11:122, doi:10.1186/1471-2350-11-122.
 - Hong, H et al. (2010) Assessing sources of inconsistencies in genotypes and their effects on genome-wide association studies with HapMap samples. *Pharmacogenomics Journal*, doi:10.1038/tpj.2010.24.
 - Hong, H et al. (2010) Evaluating variations of genotype calling: a potential source of spurious associations in genome-wide

- association studies. *Journal of Genetics*, 89(1):55-64.
- Hosking, F et al. (2010) MHC variation and risk of childhood B-cell precursor acute lymphoblastic leukemia. *Blood*, 117(5):1633-1640, doi:10.1182/blood-2010-08-301598.
 - Hung, S et al. (2010) Common risk allele in aromatic antiepileptic-drug induced Stevens–Johnson syndrome and toxic epidermal necrolysis in Han Chinese. *Pharmacogenomics, Future Medicine*, doi:10.2217/pgs.09.162.
 - Huhtaniemi, I et al. (2010) Effect of Polymorphisms in Selected Genes Involved in Pituitary-Testicular Function on Reproductive Hormones and Phenotype in Aging Men. *Journal of Clinical Endocrinology & Metabolism*, doi:10.1210/jc.2009-2071.
 - Hunninghake, G et al. (2010) TSLP polymorphisms are associated with asthma in a sex-specific fashion. *Allergy*, doi:10.1111/j.1398-9995.2010.02415.x.
 - Jeong, T et al. (2010) Association of UVRAG polymorphisms with susceptibility to non-segmental vitiligo in a Korean sample. *Experimental Dermatology*, doi:10.1111/j.1600-0625.2009.01039.x.
 - Juhasz, G et al. (2010) Risk-Taking Behavior in a Gambling Task Associated with Variations in the Tryptophan Hydroxylase 2 Gene: Relevance to Psychiatric Disorders. *Neuropsychopharmacology*, 35:1109-1119, doi:10.1038/npp.2009.216.
 - Jung, M et al. (2010) The interleukin-1 family gene polymorphisms in Korean patients with rheumatoid arthritis. *Scandinavian Journal of Rheumatology*, 39(3):190-196, doi:10.3109/03009740903447028.
 - Junyent, M et al. (2010) A composite scoring of genotypes discriminates coronary heart disease risk beyond conventional risk factors in the Boston Puerto Rican Health Study. *Nutrition, Metabolism & Cardiovascular Diseases*, 20(3):157-164, doi:10.1016/j.numecd.2009.03.016.
 - Kaitz, Metal. (2010) Mothers' dopaminereceptor polymorphism modulates the relation between infant fussiness and sensitive parenting. *Developmental Psychobiology*, 52(2):149-157, doi:10.1002/dev.20423.
 - Kang, S et al. (2010) Notch Homolog 4 Polymorphism and Kawasaki Disease. *Indian Journal of Pediatrics*, doi:10.1007/s12098-010-0317-5.
 - Kang, S et al. (2010) A Promoter SNP (rs1800682, -670C/T) of FAS Is Associated with Stroke in a Korean Population. *Genomics & Informatics*, 8(4):206-2011.
 - Karns, R et al. (2010) Replication of genetic variants from genome-wide association studies with metabolic traits in an island population of the Adriatic coast of Croatia. *European Journal of Human Genetics*, doi:10.1038/ejhg.2010.178.
 - Kesavan, R et al. (2010) Influence of CYP2C9 and CYP2C19 genetic polymorphisms on phenytoin-induced neurological toxicity in Indian epileptic patients. *European Journal of Clinical Pharmacology*, 66(7):689-696, doi:10.1007/s00228-010-0817-2.
 - Kim, H et al. (2010) Analysis of copy number variation in 8,842 Korean individuals reveals 39 genes associated with hepatic biomarkers AST and ALT. *BMB Reports*, 43(8):547-553.
 - Kim, H et al. (2010) Common CYP7A1 promoter polymorphism associated with risk of neuromyelitis optica. *Neurobiology of Disease*, 37(2):349-355, doi:10.1016/j.nbd.2009.10.013.
 - Kim, H et al. (2010) RNesoea rachs asrtiocleciation between polymorphisms of WNT2 and schizophrenia in a Korean population. *BMC Medical Genetics*, 11:78, doi:10.1186/1471-2350-11-78.
 - Kim, J et al. (2010) Putative association of SMAP1L polymorphisms with risk of aspirin intolerance in asthmatics. *Journal of Asthma*, doi:10.3109/02770903.2010.514637.
 - Kim, S et al. (2010) Association of Niemann-Pick disease, type C2 (NPC2) polymorphisms with obesity in Korean population. *Molecular & Cellular Toxicology*, 6(4):391-396, doi:10.1007/s13273-010-0052-z.
 - Kim, Y et al. (2010) Association of the CD28/CTLA4/ICOS polymorphisms with susceptibility to rheumatoid arthritis. *Clinical Chemistry and Laboratory Medicine*, 48(3):345-53.
 - Ladhani, S et al. (2010) Association between Single-Nucleotide Polymorphisms in Mal/TIRAP and Interleukin-10 Genes and Susceptibility to Invasive Haemophilus influenzae Serotype b Infection in Immunized Children. *Clinical Infectious Diseases*, 51(7):761-767, doi:10.1086/656236.
 - Lai, C et al. (2010) MAT1A variants are associated with hypertension, stroke, and markers of DNA damage and are modulated by plasma vitamin B-6 and folate. *American Journal of Clinical Nutrition*, 91(5):1377-1386, doi:10.3945/ajcn.2009.28923.
 - Lampreabe, I et al. (2010) Toward Personalized Medicine in Renal Transplantation. *Transplantation Proceedings*, 42(8):2864-2867, doi:10.1016/j.transproceed.2010.08.009.
 - Landgren, S et al. (2010) Genetic Variation of the Ghrelin Signaling System in Females With Severe Alcohol Dependence. *Alcoholism: Clinical and Experimental Research*, doi:10.1111/j.1530-0277.2010.01236.x.
 - Lee, B et al. (2010) Genome-wide association study of copy number variations associated with pulmonary function measures in Korea Associated Resource (KARE) cohorts. *Genomics*, doi:10.1016/j.ygeno.2010.11.001.
 - Lee, J et al. (2010) Toll-like receptor 1 gene polymorphisms in childhood IgA nephropathy: a case-control study in the

- Korean population. *International Journal of Immunogenetics*, doi:10.1111/j.1744-313X.2010.00978.x.
- Levy, H & Lambert, C et al. (2010) Integration of Genomics with Genetics Molecular Phenotypes for Cystic Fibrosis (CF) Lung Disease. *American Journal of Respiratory and Critical Care Medicine*, 181:A6577.
 - Liang, D et al. (2010) Genetic Variants in MicroRNA Biosynthesis Pathways and Binding Sites Modify Ovarian Cancer Risk, Survival, and Treatment Response. *Cancer Research*, doi:10.1158/0008-5472.CAN-10-0130.
 - Lim, J et al. (2010) Pharmacogenetics of CYP1A2, Novel Polymorphisms and Haplotypes in Three Distinct Asian Populations. *Drug Metabolism and Pharmacokinetics*, 25(6):616-623, doi:10.2133/dmpk.DMPK-10-SC-051.
 - Lin, J et al. (2010) Energy Balance, the PI3K-AKT-mTOR Pathway Genes, and the Risk of Bladder Cancer. *Cancer Prevention Research*, doi:10.1158/1940-6207.CAPR-09-0263.
 - Lin, J et al. (2010) Genetic Variations in MicroRNA-Related Genes Are Associated with Survival and Recurrence in Patients with Renal Cell Carcinoma. *Carcinogenesis*, doi:10.1093/carcin/bgq168.
 - Londin, E et al. (2010) CoAIMs: A Cost-Effective Panel of Ancestry Informative Markers for Determining Continental Origins. *PLoS ONE*, 5(10):e13443, doi:10.1371/journal.pone.0013443.
 - Lotsch, J et al. (2010) AKCNJ6 (Kir3.2, GIRK2) gene polymorphism modulates opioid effects on analgesia and addiction but not on pupil size. *Pharmacogenetics and Genomics*, 20(5):291-297, doi:10.1097/FPC.0b013e3283386bda.
 - Lu, W et al. (2010) Genes encoding critical transcriptional activators for murine neural tube development and human spina bifida: a case-control study. *BMC Medical Genetics*, 11:141, doi:10.1186/1471-2350-11-141.
 - Magri, C et al. (2010) New Copy Number Variations in Schizophrenia. *PLoS ONE*, 5(10):e13422, doi:10.1371/journal.pone.0013422.
 - MAQC Consortium (2010) The MicroArray Quality Control (MAQC)-II study of common practices for the development and validation of microarray-based predictive models. *Nature Biotechnology*, doi:10.1038/nbt.1665.
 - Maran, S et al. (2010) Association of cadherin superfamily genes and Helicobacter pylori infection among Malays at north-eastern peninsular Malaysia: a preliminary genome wide association study. *Journal of Gastroenterology and Hepatology*, 25(Suppl. 2):A23-A78.
 - Mekli, K et al. (2010) The HTR1A and HTR1B receptor genes influence stress-related information processing. *European Neuropsychopharmacology*, doi:10.1016/j.euroneuro.2010.06.013.
 - Miclaus, K & Lambert, C et al. (2010) Batch effects in the BRLMM genotype calling algorithm influence GWAS results for the Affymetrix 500K array. *Pharmacogenomics*, 10:336-346, doi:10.1038/tpj.2010.36.
 - Miclaus, K & Lambert, C et al. (2010) Variability in GWAS analysis: the impact of genotype calling algorithm inconsistencies. *Pharmacogenomics*, 10:324-335, doi:10.1038/tpj.2010.46.
 - Mizuki, N et al. (2010) Genome-wide association studies identify IL23R-IL12RB2 and IL10 as Behçet's disease susceptibility loci. *Nature Genetics*, doi:10.1038/ng.624.
 - Moyer, R et al. (2010) Intronic Polymorphisms Affecting Alternative Splicing of Human Dopamine D2 Receptor Are Associated with Cocaine Abuse. *Neuropsychopharmacology*, doi:10.1038/npp.2010.208.
 - Murphy, A et al. (2010) Two-Stage Testing Strategies for Genome-Wide Association Studies in Family-Based Designs. *Statistical Methods in Molecular Biology*, 620:485-496, doi:10.1007/978-1-60761-580-4_17.
 - Nair, A et al. (2010) Case-Control Analysis of SNPs in GLUT4, RBP4 and STRA6: Association of SNPs in STRA6 with Type 2 Diabetes in a South Indian Population. *PLoS One*, 5(7):e11444, doi:10.1371/journal.pone.0011444.
 - Ni, W et al. (2010) Flavopiridol Pharmacogenetics: Clinical and Functional Evidence for the Role of SLCO1B1/OATP1B1 in Flavopiridol Disposition. *PLoS ONE*, 5(11):e13792, doi:10.1371/journal.pone.0013792.
 - Nishizawa, D et al. (2010) Genetic Polymorphisms and Human Sensitivity to Opioid Analgesics. *Methods in Molecular Biology, Analgesia*, 617:395-420, doi:10.1007/978-1-60327-323-7_29.
 - Noel, S et al. (2010) Variants of the CD36 gene and metabolic syndrome in Boston Puerto Rican adults. *Atherosclerosis*, doi:10.1016/j.atherosclerosis.2010.02.009.
 - Novak, G et al. (2010) Association of polymorphisms in the BDNF, DRD1 and DRD3 genes with tobacco smoking in schizophrenia. *Annals of Human Genetics*, 74(4):291-298, doi:10.1111/j.1469-1809.2010.00578.x.
 - Park, H et al. (2010) Association between toll-like receptor 10 (TLR10) gene polymorphisms and childhood IgA nephropathy. *European Journal of Pediatrics*, doi:10.1007/s00431-010-1325-1.
 - Petukhova, L et al. (2010) Genome-wide association study in alopecia areata implicates both innate and adaptive immunity. *Nature*, 466(7302):113-117, doi:10.1038/nature09114.
 - Poduslo, S et al. (2010) A genome screen of successful aging without cognitive decline identifies LRP1B by haplotype analysis. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, doi:10.1002/ajmg.b.30963.

- Radstake, T et al. (2010) Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. *Nature Genetics*, 42:426-429, doi:10.1038/ng.565.
- Ramu, P et al. (2010) Polymorphic variants of β 1 adrenergic receptor gene (Ser49Gly & Arg389Gly) in healthy Tamilian volunteers. *Indian Journal of Medical Research*, 132:62-66.
- Remmers, E et al. (2010) Genome-wide association study identifies variants in the MHC class I, IL10, and IL23R-IL12RB2 regions associated with Behçet's disease. *Nature Genetics*, doi:10.1038/ng.625.
- Salinas-Sánchez, A et al. (2010) Polymorphic deletions of the GSTT1 and GSTM1 genes and susceptibility to bladder cancer. *BJU International*, doi:10.1111/j.1464-410X.2010.09683.x.
- Sánchez, A et al. (2010) Association of the Intergenic Single-Nucleotide Polymorphism rs10865331 (2p15) with Ankylosing Spondylitis in a Spanish Population. *Journal of Rheumatology*, doi:10.3899/jrheum.100211.
- Sanchez, E et al. (2010) Genetically determined amerindian ancestry correlates with increased frequency of risk alleles for systemic lupus erythematosus. *Arthritis & Rheumatism*, doi:10.1002/art.27753.
- Sandoval, A et al. (2010) Identification and characterization of small compound inhibitors of human FATP2. *Biochemical Pharmacology*, 79(7):990-999, doi:10.1016/j.bcp.2009.11.008.
- Schwienbacher, C et al. (2010) Copy number variation and association over T-cell receptor genes—influence of DNA source. *Immunogenetics*, doi:10.1007/s00251-010-0459-7.
- Selvi, N et al. (2010) Genetic Polymorphism of Methylenetetrahydrofolate Reductase as a Risk Factor for Lumbosacral Neural Tube Defects. *Middle-East Journal of Scientific Research*, 6(1):93-98.
- Shoa, Y et al. (2010) Replication Of An Association Of The Interleukin-1 Receptor Antagonist Gene With Asthma In An Adult Urban Admixed Population. *Respiratory and Critical Care Medicine*.
- Silva, M et al. (2010) TNF microsatellite alleles may confer protection against the development of lipodystrophy syndrome in Brazilian HIV patients. *International Journal of Immunogenetics*, doi:10.1111/j.1744-313X.2010.00937.x.
- Sissung, T et al. (2010) Impact of ABCB1 allelic variants on QTc interval prolongation. *Clinical Cancer Research*, doi:10.1158/1078-0432.CCR-10-0925.
- Skelding, K et al. (2010) Association of an INSIG2 obesity allele with cardiovascular phenotypes is gender and age dependent. *BMC Cardiovascular Disorders*, doi:10.1186/1471-2261-10-46.
- Smith, R et al. (2010) Nicotinic alpha-5 receptor subunit mRNA expression is associated with distant 5' upstream polymorphisms. *European Journal of Human Genetics*, doi:10.1038/ejhg.2010.120.
- Sombekke, et al. (2010) Analysis of multiple candidate genes in association with phenotypes of multiple sclerosis. *Multiple Sclerosis*, 0:1352458510364633v1.
- Souza, R et al. (2010) Are serotonin 3A and 3B receptor genes associated with suicidal behavior in schizophreniasubjects? *Neuroscience Letters*, doi:10.1016/j.neulet.2010.11.079.
- Souza, R et al. (2010) Schizophrenia severity and clozapine treatment outcome association with oxytocinergic genes. *International Journal of Neuropsychopharmacology*, doi:10.1017/S1461145710000167.
- Sundaram, S et al. (2010) Tourette syndrome is associated with recurrent exonic copy number variants. *Neurology*, doi:10.1212/WNL.0b013e3181e0f147.
- Tan, L et al. (2010) A genome-wide association analysis implicates SOX6 as a candidate gene for wrist bone mass. *Science China Life Sciences*, 53(9):1065-1072, doi:10.1007/s11427-010-4056-7.
- Tejedor, M et al. (2010) Haplotype analyses, mechanism and evolution of common double mutants in the human LDL receptor gene. *Molecular Genetics and Genomics*, doi:10.1007/s00438-010-0541-8.
- Turolo, S et al. (2010) Frequencies and roles of CYP3A5, CYP3A4 and ABCB1 single nucleotide polymorphisms in Italian teenagers after kidney transplantation. *Pharmacological Reports*, 2010(62):1159-1169.
- Vogler, C et al. (2010) Microarray-Based Maps of Copy-Number Variant Regions in European and Sub-Saharan Populations. *PLoS ONE*, 5(12):e15246, doi:10.1371/journal.pone.0015246
- von Otter, M et al. (2010) Association of Nrf2-encoding NFE2L2 haplotypes with Parkinson's disease. *BMC Medical Genetics*, 11:36.
- von Otter, M et al. (2010) Nrf2-encoding NFE2L2 haplotypes influence disease progression but not risk in Alzheimer's disease and age-related cataract. *Mechanisms of Ageing and Development*, 131(2):105-110, doi:10.1016/j.mad.2009.12.007.
- Wang, D et al. (2010) Intronic polymorphism in CYP3A4 affects hepatic expression and response to statin drugs. *Pharmacogenomics Journal*, doi:10.1038/tpj.2010.28.
- Watanabe, E et al. (2010) Association between lymphotoxin-[alpha] (tumor necrosis factor-[beta]) intron polymorphism and predisposition to severe sepsis is modified by gender and age. *Critical Care Medicine*, 38(1):181-193, doi:10.1097/CCM.0b013e3181bc805d.
- Wu, A et al. (2010) Development of a Pharmacogenetic Predictive Test in asthma: proof of concept. *Pharmacogenet Genomics*, 20(2):86-93.

- Yeh, Y et al. (2010) A possible association of the norepinephrine transporter gene in the development of heroin dependence in Han Chinese. *Pharmacogenetics & Genomics*, doi:10.1097/FPC.0b013e32833ef418
- Yoo, K et al. (2010) Nitric oxide synthase 2 gene polymorphisms are associated with prostatic volume in Korean men with benign prostatic hyperplasia. *Asian Journal of Andrology*, doi:10.1038/aja.2010.37.
- Zai, C et al. (2010) Association study of BDNF and DRD3 genes in schizophrenia diagnosis using matched case-control and family based study designs. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 31(8):1412-1418, doi:10.1016/j.pnpbp.2010.07.019.
- Zhang, J et al. (2010) Meta-Analysis of Genetic Variation in DTNBP1 and General Cognitive Ability. *Biological Psychiatry*, 68(12):1126-1133, doi:10.1016/j.biopsych.2010.09.016.
- Zhang, L & Lambert, C et al. (2010) Assessment of Variability in GWAS with CRLMM genotyping algorithm on WTCCC coronary artery disease. *Pharmacogenomics*, 10:347-354, doi:10.1038/tbj.2010.27.

2009

- Akbari, M et al. (2009) Candidate Gene Association Study of Esophageal Squamous Cell Carcinoma in a High-Risk Region in Iran. *Cancer Research*, 69(20):7994-8000, doi: 10.1158/0008-5472.CAN-09-1149.
- Alkelai, A et al. (2009) Genome-wide association study of antipsychotic-induced parkinsonism severity among schizophrenia patients. *Psychopharmacology*, 206(3):491-499, doi:10.1007/s00213-009-1627-z.
- Anderson, P et al. (2009) Atazanavir pharmacokinetics in genetically determined CYP3A5 expressors versus non-expressors. *Journal of Antimicrobial Chemotherapy*, 64(5):1071-1079, doi: 10.1093/jac/dkp317.
- Andersson, N et al. (2009) Variants of the interleukin-1 receptor antagonist gene are associated with fat mass in men. *International Journal of Obesity*, 33:525-533, doi:10.1038/ijo.2009.47.
- Aston, K et al. (2009) Genome-Wide Study of Single-Nucleotide Polymorphisms Associated With Azoospermia and Severe Oligozoospermia. *Journal of Andrology*.
- Balakin, K et al. (2009) Application of Data Mining Algorithms in Pharmaceutical Research and Development. *Pharmaceutical Data Mining: Approaches and Applications for Drug Discovery*.
- Balsa, A et al. (2009) Prediction of functional impairment and remission in rheumatoid arthritis patients by biochemical variables and genetic polymorphisms. *Rheumatology*, doi:10.1093/rheumatology/kep380.
- Ban, J et al. (2009) Promoter Polymorphism (rs3755724, -55C/T) of Tissue Inhibitor of Metalloproteinase 4 (TIMP4) as a Risk Factor for Kawasaki Disease with Coronary Artery Lesions in a Korean Population. *Pediatric Cardiology*, 30(3):331-335, doi: 10.1007/s00246-008-9341-x.
- Barnes, A et al. (2009) Association of canine anal furunculosis with TNFA is secondary to linkage disequilibrium with DLA-DRB1. *Tissue Antigens*, 73(3):218-224, doi:10.1111/j.1399-0039.2008.01188.x.
- Bertolino, A et al. (2009) Functional variants of the dopamine receptor D2 gene modulate prefronto-striatal phenotypes in schizophrenia. *Brain*, 132(2):417-425, doi:10.1093/brain/awn248.
- Betteridge, Z et al. (2009) Clinical and human leucocyte antigen class II haplotype associations of autoantibodies to small ubiquitin-like modifier enzyme, a dermatomyositis-specific autoantigen target, in UK Caucasian adult-onset myositis. *Annals of Rheumatic Diseases*, 68:1621-1625 doi:10.1136/ard.2008.097162.
- Beuselink, B et al. (2009) Weekly paclitaxel versus weekly docetaxel in elderly or frail patients with metastatic breast carcinoma: A randomized phase-II study of the Belgian Society of Medical Oncology. *Critical Reviews in Oncology/Hematology*, doi:10.1016/j.critrevonc.2009.07.001.
- Brennan, R et al. (2009) Network and Pathway Analysis of Compound-Protein Interactions. *Chemogenomics*, doi:10.1007/978-1-60761-274-2.
- Burgner, D et al. (2009) A Genome-Wide Association Study Identifies Novel and Functionally Related Susceptibility Loci for Kawasaki Disease. *PLoS Genetics*.
- Chen, M et al. (2009) Genetic variations in PI3K-AKT-mTOR pathway and bladder cancer risk. *Carcinogenesis*, doi:10.1093/carcin/bgp258.
- Chinoy, H et al. (2009) HLA-DPB1 associations differ between DRB1*03 positive anti-Jo-1 and anti-PM-Scl antibody positive idiopathic inflammatory myopathy. *Rheumatology*, doi:10.1093/rheumatology/kep248.
- Crosier, M et al. (2009) Association of Sequence Variations in Vitamin K Epoxide Reductase and γ -Glutamyl Carboxylase Genes with Biochemical Measures of Vitamin K Status. *Journal of Nutritional Science and Vitaminology*, 55(2):112-119, doi:10.3177/jnsv.55.112.
- Crosier, M et al. (2009) Matrix Gla Protein Polymorphisms are Associated with Coronary Artery Calcification in Men. *Journal of Nutritional Science and Vitaminology*, 55(1):59-65, doi:10.3177/jnsv.55.59.
- DeLuca, V et al. (2009) HOMER1 Promoter Analysis in Parkinson's

- Disease: Association Study with Psychotic Symptoms. *Neuropsychobiology*, 59:239-245, doi:10.1159/000230689.
- Deghaide, N et al. (2009) Tumor necrosis factor region polymorphisms are associated with AIDS and with cytomegalovirus retinitis. *AIDS*, 23(13):1641-1647, doi:10.1097/QAD.0b013e32832e5591.
 - Delgado-Lista, J et al. (2009) Effects of variations in the APOA1/C3/A4/A5 gene cluster on different parameters of postprandial lipid metabolism in healthy young men. *Journal of Lipid Research*, 10:28, doi:10.1194/jlr.M800527-JLR200.
 - Deng, F et al. (2009) Genome-wide copy number variation association study suggested VPS13B gene for osteoporosis in Caucasians. *Osteoporosis International*, 21(4):579-587, doi:10.1007/s00198-009-0998-7.
 - Djurovic, S et al. (2009) Association of MCTP2 gene variants with schizophrenia in three independent samples of Scandinavian origin (SCOPE). *Psychiatry Research*, 168(3):256-258, doi:10.1016/j.psychres.2008.08.007.
 - Doehring, A et al. (2009) Genetic variants altering dopamine D2 receptor expression or function modulate the risk of opiate addiction and the dosage requirements of methadone substitution. *Pharmacogenetics and Genomics*, 19(6):407-414, doi:10.1097/FPC.0b013e328320a3fd.
 - Elmore, J et al. (2009) Identification of a genetic variant associated with abdominal aortic aneurysms on chromosome 3p12.3 by genome wide association. *Journal of Vascular Surgery*, doi:10.1016/j.jvs.2009.01.041.
 - Garaulet, M et al. (2009) CLOCK genetic variation and metabolic syndrome risk: modulation by monounsaturated fatty acids. *American Journal of Clinical Nutrition*, 90(6):1466-1475, doi:10.3945/ajcn.2009.27536.
 - Glatt, S et al. (2009) Family-based association testing strongly implicates DRD2 as a risk gene for schizophrenia in Han Chinese from Taiwan Dominant effect of DRD2 on schizophrenia. *Molecular Psychiatry*, 14:885-893, doi:10.1038/mp.2008.30.
 - Goldstein, I et al. (2009) Association between Sodium- and Potassium-Activated Adenosine Triphosphatase [alpha] Isoforms and Bipolar Disorders. *Biological Psychiatry*, 65(11):985-991.
 - Gu, Y et al. (2009) Identification of IFRD1 as a modifier gene for cystic fibrosis lung disease. *Nature*, doi:10.1038/nature07811.
 - Gunawardena, H et al. (2009) Autoantibodies to a 140-kd protein in juvenile dermatomyositis are associated with calcinosis. *Arthritis & Rheumatism*, 60(6):1807-1814, doi:10.1002/art.24547.
 - Hellard, S et al. (2009) Variants in Doublecortin- and Calmodulin Kinase Like 1, a Gene Up-Regulated by BDNF, Are Associated with Memory and General Cognitive Abilities. *PLoS One*, 4(10):e7534, doi:10.1371/journal.pone.0007534.
 - Hennessy, S et al. (2009) CYP2C9, CYP2C19, and ABCB1 Genotype and Hospitalization for Phenytoin Toxicity. *Journal of Clinical Pharmacology*, 49:1483-1487.
 - Himes, B et al. (2009) Genome-wide Association Analysis Identifies PDE4D as an Asthma-Susceptibility Gene. *American Journal of Human Genetics*.
 - Hunninghake, G et al. (2009) MMP12, Lung Function, and COPD in High-Risk Populations. *New England Journal of Medicine*, doi:10.1056/NEJMoa0904006.
 - Israel, S et al. (2009) The Oxytocin Receptor (OXTR) Contributes to Prosocial Fund Allocations in the Dictator Game and the Social Value Orientations Task. *PLoS One*, 4(5):e5535, doi:10.1371/journal.pone.0005535.
 - Jeong, K et al. (2009) Association of TXNDC5 gene polymorphisms and susceptibility to nonsegmental vitiligo in the Korean population. *British Journal of Dermatology*, 162(4): 759-764, doi:10.1111/j.1365-2133.2009.09574.x.
 - Johnson A (2009) Promoter Polymorphisms in ACE (Angiotensin I-Converting Enzyme) Associated With Clinical Outcomes in Hypertension. *Clinical Pharmacology & Therapeutics*, 85:36-44, doi:10.1038/clpt.2008.194.
 - Juhasz, G et al. (2009) CNR1 Gene is Associated with High Neuroticism and Low Agreeableness and Interacts with Recent Negative Life Events to Predict Current Depressive Symptoms. *Neuropsychopharmacology*, 34:2019-2027; doi:10.1038/npp.2009.19.
 - Juhasz, G et al. (2009) Variations in the cannabinoid receptor 1 gene predispose to migraine. *Neuroscience Letters*, 461(2):116-120, doi:10.1016/j.neulet.2009.06.021.
 - Junyent, M et al. (2009) ADAM17_i33708A > G polymorphism interacts with dietary n-6 polyunsaturated fatty acids to modulate obesity risk in the Genetics of Lipid Lowering Drugs and Diet Network study. *Nutrition, Metabolism, and Cardiovascular Diseases*, doi:10.1016/j.numecd.2009.06.011.
 - Junyent, M et al. (2009) The effects of ABCG5/G8 polymorphisms on HDL-cholesterol concentrations depend on ABCA1 genetic variants in the Boston Puerto Rican Health Study. *Nutrition, Metabolism, and Cardiovascular Diseases*, doi:10.1016/j.numecd.2009.05.005.
 - Junyent, M et al. (2009) Genetic Variants at the PDZ-Interacting Domain of the Scavenger Receptor Class B Type I Interact with Diet to Influence the Risk of Metabolic Syndrome in Obese Men and Women. *Journal of Nutrition*, 139(5):842-848, doi:10.3945/jn.108.101196.
 - Junyent, M et al. (2009) Novel variants at KCTD10, MVK, and MMAB genes interact with dietary carbohydrates to modulate

- HDL-cholesterol concentrations in the Genetics of Lipid Lowering Drugs and Diet Network Study. *American Journal of Clinical Nutrition*, 90:686-694,doi:10.3945/ajcn.2009.27738.
- Kanazawa, T et al. (2009) Family-based association study of SELENBP1 in schizophrenia. *Schizophrenia Research*, 113(2):268-272.
 - Kerner, B et al. (2009) Growth mixture modelling in families of the Framingham Heart Study. *BMC Proceedings*, 3(Suppl 7):S114.
 - Kibriya, M et al. (2009) A pilot genome-wide association study of early-onset breast cancer. *Breast Cancer Research and Treatment*, 114(3):463-477, doi:10.1007/s10549-008-0039-9.
 - Kim, D et al. (2009) A Gonadotropin-Releasing Hormone-II Antagonist Induces Autophagy of Prostate Cancer Cells. *Cancer Research*, 69(3):923-31, doi:10.1158/0008-5472.CAN-08-2115.
 - Kim, H et al. (2009) Genome-wide association study of acute post-surgical pain in humans. *Pharmacogenomics*, 10(2):171-179.
 - Kim, T et al. (2009) Association of histone deacetylase genes with schizophrenia in Korean population. *Psychiatry Research*, doi:10.1016/j.psychres.2009.05.007.
 - Kosoy, R et al. (2009) Ancestry Informative Marker Sets for Determining Continental Origin and Admixture Proportions in Common Populations in America. *Human Mutation, Human Genome Variation Society*, 30(1):69-78, doi:10.1002/humu.20822.
 - Lai, C et al. (2009) Population admixture associated with disease prevalence in the Boston Puerto Rican health study. *Human Genetics*, 125(2):199-209, doi:10.1007/s00439-008-0612-7.
 - Landgren, S et al. (2009) Association of nAChR gene haplotypes with heavy alcohol use and body mass. *Brain Research*, 1305(1):S72-S79, doi:10.1016/j.brainres.2009.08.026.
 - Landgren, S et al. (2009) No Association of VEGF Polymorphisms with Alzheimer's Disease. *Neuromolecular Medicine*, 12(3):224-228, doi:10.1007/s12017-009-8096-8.
 - Le Hellerd, S, et al. (2009) Variants in Doublecortin- and Calmodulin Kinase Like 1, a Gene Up-Regulated by BDNF, Are Associated with Memory and General Cognitive Abilities. *PLoS ONE*, 4(10):e7534, doi:doi:10.1371/journal.pone.0007534.
 - Lee, K et al. (2009) Clusterin regulates transthyretin amyloidosis. *Biochemical and Biophysical Research Communications*, doi:10.1016/j.bbrc.2009.07.166.
 - Lei, S et al. (2009) Genome-wide association scan for stature in Chinese: evidence for ethnic specific loci. *Human Genetics*, 125:1-9.
 - Levin, R et al. (2009) Association between arginine vasopressin 1a receptor (AVPR1a) promoter region polymorphisms and prepulse inhibition. *Psychoneuroendocrinology*, 34(6):901-908, doi:10.1016/j.psyneuen.2008.12.014.
 - Limer, K et al. (2009) Genetic Variation in Sex Hormone Genes Influences Heel Ultrasound Parameters in Middle-Aged and Elderly Men: Results From the European Male Aging Study (EMAS). *Journal of Bone and Mineral Research*, 24(2):314-323, doi:10.1359/jbmr.080912.
 - Liu, X et al. (2009) Genome-wide Association and Replication Studies Identified TRHR as an Important Gene for Lean Body Mass. *American Journal of Human Genetics*, 84(3):418-423, doi:10.1016/j.ajhg.2009.02.004.
 - Liu, Y et al. (2009) Association and Interactions between DNA Repair Gene Polymorphisms and Adult Glioma. *Cancer Epidemiology Biomarkers & Prevention*, 18(1):204-214.
 - Liu, Y et al. (2009) Genome-Wide Association Analyses Identify SPOCK as a Key Novel Gene Underlying Age at Menarche. *PLoS One*, 5(3):e1000420.
 - Lotsch, J et al. (2009) Cross-sectional analysis of the influence of currently known pharmacogenetic modulators on opioid therapy in outpatient pain centers. *Pharmacogenetics and Genomics*, 19(6):429-436, doi:10.1097/FPC.0b013e32832b89da.
 - Maheshwari, M et al. (2009) Common and Rare Variants of DAOA in Bipolar Disorder. *American Journal Medical Genetics Part B: Neuropsychiatric Genetics*, 150B(7):960-966, doi:10.1002/ajmg.b.30925.
 - Maney, P et al. (2009) Neutrophil Formylpeptide Receptor Single Nucleotide Polymorphism 348T>C in Aggressive Periodontitis. *Journal of Periodontology Online*, 80(3):492-498.
 - Marques, A et al. (2009) Low-density lipoprotein receptor variants are associated with spontaneous and treatment-induced recovery from hepatitis C virus infection. *Infection, Genetics, and Evolution*, 9(5):847-852, doi:10.1016.
 - Melistas, L et al. (2009) Association of the +45T>G and +276G>T polymorphisms in the adiponectin gene with insulin resistance in non-diabetic Greek women. *European Journal of Endocrinology*, doi:10.1530/EJE-09-0492.
 - Merikangas, A et al. (2009) Copy-number variants in neurodevelopmental disorders: promises and challenges. *Trends in Genetics*, 25(12):536-544, doi:10.1016/j.tig.2009.10.006.
 - Nassir, R et al. (2009) An ancestry informative marker set for determining continental origin: validation and extension using human genome diversity panels. *BMC Genetics*, 10:39, doi:10.1186/1471-2156-10-39.
 - Naylor, M et al. (2009) Recommendations for using

- standardised phenotypes in genetic association studies. *Human Genomics*, 3(4):308-319.
- Nelis, M et al. (2009) Genetic Structure of Europeans: A View from the North–East. *PLoS One*, 4(5):e5472, doi:10.1371/journal.pone.0005472.
 - Nikolsky, Y et al. (2009) Functional Analysis of OMICs Data and Small Molecule Compounds in an Integrated “Knowledge-Based” Platform. *Methods in Molecular Biology, Protein Networks and Pathway Analysis*, 563:177-196, doi:10.1007/978-1-60761-175-2.
 - Paisan-Ruiz, C et al. (2009) Parkinson’s Disease and Low Frequency Alleles Found Together Throughout LRRK2. *Annals of Human Genetics*, 73(4):391-403, doi:10.1111/j.1469-1809.2009.00524.x.
 - Pan, J et al. (2009) Genetic susceptibility to esophageal cancer: the role of the nucleotide excision repair pathway. *Carcinogenesis*, 30(5):785-792, doi:10.1093/carcin/bgp058.
 - Papassotiropoulos, A et al. (2009) A genome-wide survey of human short-term memory. *Molecular Psychiatry*, doi:10.1038/mp.2009.133.
 - Park, et al. (2009) Involvement of tryptophan hydroxylase 2 (TPH2) gene polymorphisms in susceptibility to coronary artery lesions in Korean children with Kawasaki disease. *European Journal of Pediatrics*, 169(4):457-461, doi:10.1007/s00431-009-1056-3.
 - Park, M et al. (2009) Genetic associations of common deletion polymorphisms in families with Avellino corneal dystrophy. *Biochemical and Biophysical Research Communications*, 387(4):688-693, doi:10.1016/j.bbrc.2009.07.084.
 - Payton, A et al. (2009) Nitric oxide synthase 2A (NOS2A) polymorphisms are not associated with invasive pneumococcal disease. *BMC Medical Genetics*, doi:10.1186/1471-2350-10-28.
 - Phillips, C et al. (2009) Acids to Augment Risk of Insulin Resistance and Metabolic Syndrome in Adults. *Journal of Nutrition*, doi:10.3945/jn.109.115329.
 - Phillips, C et al. (2009) Complement component 3 polymorphisms interact with polyunsaturated fatty acids to modulate risk of metabolic syndrome. *American Journal of Clinical Nutrition*, doi:10.3945/ajcn.2009.28101.
 - Plagnol, V (2009) Association tests and software for copy number variant data. *Human Genomics*, 3(2):191-194.
 - Pi, M et al. (2010) Impaired osteoblast function in GPRC6A null mice. *Journal of Bone and Mineral Research*, 25(5):1092-1102, doi:10.1359/jbmr.091037.
 - Poduslo, S et al. (2009) The frequency of the TRPC4AP haplotype in Alzheimer’s patients. *Neuroscience Letters*, 450(3):344-346, doi:10.1016/j.neulet.2008.11.050.
 - Pu, X et al. (2009) Cyclooxygenase-2 gene polymorphisms reduce the risk of oral premalignant lesions. *Cancer*, doi:10.1002/cncr.24157.
 - Rastogi, A et al. (2009) Genetic association and post-mortem brain mRNA analysis of DISC1 and related genes in schizophrenia. *Schizophrenia Research*, 114(1):39-49.
 - Rincon, G et al. (2009) Fine mapping and association analysis of a quantitative trait locus for milk production traits on Bos taurus autosome 4. *Journal of Dairy Science*, 92:758-764. doi:10.3168/jds.2008-1395.
 - Rincon, G et al. (2009) Polymorphisms in the STAT6 gene and their association with carcass traits in feedlot cattle. *Animal Genetics*, 40(6):878-82, doi:10.1111/j.1365-2052.2009.01934.x.
 - Roe, B et al. (2009) Financial and Psychological Risk Attitudes Associated with Two Single Nucleotide Polymorphisms in the Nicotine Receptor (CHRNA4) Gene. *PLoS One*, 4(8):e6704, doi:10.1371/journal.pone.0006704.
 - Rogers, A et al. (2009) Assessing the Reproducibility of Asthma Candidate Gene Associations, Using Genome-wide Data. *American Journal of Respiratory and Critical Care Medicine*, 179:1084-1090, doi:10.1164/rccm.200812-1860OC.
 - Rosner, G et al. (2009) Genetic Testing in Israel: An Overview. *Annual Reviews of Genomics and Human Genetics*, 10:175-192, doi:10.1146/annurev.genom.030308.111406.
 - Ross, C et al. (2009) Genetic variants in TPMT and COMT are associated with hearing loss in children receiving cisplatin chemotherapy. *Nature Genetics*, 41:1345-1349, doi:10.1038/ng.478.
 - Roy, M et al. (2009) Assessment of 193 Candidate Genes for Retinopathy in African Americans With Type 1 Diabetes. *Archives of Ophthalmology*, 127(5):605-612.
 - Saiz, P et al. (2009) Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. *Psychiatric Genetics*, doi:10.1097/YPG.0b013e32833a20b9.
 - Sandanaraj, E et al. (2009) VKORC1 Diplotype-Derived Dosing Model to Explain Variability in Warfarin Dose Requirements in Asian Patients. *Drug Metabolism and Pharmacokinetics*, 24(4):365-375, doi:10.2133/dmpk.24.365.
 - Santiago, J et al. (2009) Localization of Type 1 Diabetes susceptibility in the ancestral haplotype 18.2 by high density SNP mapping. *Genomics*, 94(4):228-232, doi:10.1016/j.ygeno.2009.06.007.
 - Satyanarayana, C et al. (2009) Influence of the Genetic Polymorphisms in the 5’ Flanking and Exonic Regions of CYP2C19 on Proguanil Oxidation. *Drug Metabolism and Pharmacokinetics*, 24(6):537-548, doi:10.2133/dmpk.24.537.
 - Scharpf, R et al. (2009) A multilevel model to address batch

- effects in copy number estimation using SNP arrays. *Berkeley Electronic Press*.
- Sharma, S et al. (2009) Association of VEGF polymorphisms with childhood asthma, lung function and airway responsiveness. *European Respiratory Journal*, 33:1287-1294.
 - Sharma, S et al. (2009) A Role for Wnt Signaling Genes in the Pathogenesis of Impaired Lung Function in Asthma. *American Journal of Respiratory and Critical Care Medicine*, 181:328-336, doi:10.1164/rccm.200907-1009OC.
 - Shtir, C et al. (2009) Copy number variation in the Framingham Heart Study. *BMC Proceedings*, 3(Suppl 7):S133.
 - Sombekke, M et al. (2009) HLA-DRB1*1501 and Spinal Cord Magnetic Resonance Imaging Lesions in Multiple Sclerosis. *Archives of Neurology*, 66(12):1531-1536.
 - Sun, Y et al. (2009) A Common CNV on Chr 6 Association With the Gene Expression Level of Endothelin 1 in Transformed B Lymphocytes From Three Racial Groups. *Cardiovascular Genetics*.
 - Tian, C et al. (2009) European Population Genetic Substructure: Further Definition of Ancestry Informative Markers for Distinguishing among Diverse European Ethnic Groups. *Molecular Medicine*, 15(11-12):371-383, doi:10.2119/molmed.2009.00094.
 - Trivedi, N et al. (2009) Human subjects are protected from mast cell tryptase deficiency despite frequent inheritance of loss-of-function mutations. *Journal of Allergy and Clinical Immunology*, 124(4):1099-1105, doi:10.1016/j.jaci.2009.07.026.
 - Tse, K et al. (2009) Genome-wide Association Study Reveals Multiple Nasopharyngeal Carcinoma-Associated Loci within the HLA Region at Chromosome 6p21.3. *American Journal of Human Genetics*, 85(2):194-203, doi:10.1016/j.ajhg.2009.07.007.
 - Tseng, Z et al. (2009) Association of TGFBR2 polymorphism with risk of sudden cardiac arrest in patients with coronary artery disease. *Heart Rhythm*, 6(12):1745-1750.
 - Visscher, H et al. (2009) Application of principal component analysis to pharmacogenomic studies in Canada Use of principal component analysis in pharmacogenomics. *Pharmacogenomics Journal*, doi:10.1038/tpj.2009.36.
 - von Otter, M et al. (2009) Kinesin Light Chain 1 Gene Haplotypes in Three Conformational Diseases. *Neuromolecular Medicine*, 12(3):229-236, doi:10.1007/s12017-009-8103-0.
 - Voyiaziakis, E et al. (2009) Association of SLC6A4 variants with obsessive-compulsive disorder in a large multicenter US family study. *Molecular Psychiatry*, doi:10.1038/mp.2009.100.
 - Warodomwicht, D et al. (2009) ADIPOQ Polymorphisms, Monounsaturated Fatty Acids, and Obesity Risk: The GOLDN Study. *Obesity*, doi:10.1038/oby.2008.583.
 - Warodomwicht, D et al. (2009) Polyunsaturated Fatty Acids Modulate the Effect of TCF7L2 Gene Variants on Postprandial Lipemia. *Journal of Nutrition*, 139(3):439-46.
 - Webb, E et al. (2009) Association Studies. *Statistics and Informatics in Molecular Cancer Research*.
 - Woo, S et al. (2009) Population Pharmacokinetics of Romidepsin in Patients with Cutaneous T-Cell Lymphoma and Relapsed Peripheral T-Cell Lymphoma. *Clinical Cancer Research*.
 - Xiong, D et al. (2009) Genome-wide Association and Follow-Up Replication Studies Identified ADAMTS18 and TGFBR3 as Bone Mass Candidate Genes in Different Ethnic Groups. *American Journal of Human Genetics*.
 - Yancey, S et al. (2009) Acute and chronic lung function responses to salmeterol and salmeterol plus fluticasone propionate in relation to Arg16Gly β 2-adrenergic polymorphisms. *Current Medical Research and Opinion*, 25(4):1011-1018.
 - Yang, H et al. (2009) Genome-Wide Association Study of Young-Onset Hypertension in the Han Chinese Population of Taiwan. *PLoS One*, 4(5):e5459, doi:10.1371/journal.pone.0005459.
 - Zai, C et al. (2009) Association study of the gamma-aminobutyric acid type a receptor γ 2 subunit gene with schizophrenia. *Schizophrenia Research*, 114(1):33-38, doi:10.1016/j.schres.2009.07.010.
 - Zai, C et al. (2009) Genetic study of BDNF, DRD3, and the interaction in tardive dyskinesia. *European Neuropsychopharmacology*, 19(5):317-328, doi:10.1016/j.euroneuro.2009.01.001.
 - Zhang, H et al. (2009) Pro-Opiomelanocortin Gene Variation Related to Alcohol or Drug Dependence: Evidence and Replications Across Family- and Population-based Studies. *Biological Psychiatry*, 66(2):128-136, doi:10.1016/j.biopsych.2008.12.021.
 - Zhang, Z et al. (2009) Common variants of the glial cell-derived neurotrophic factor gene do not influence kidney size of the healthy newborn. *Pediatric Nephrology*, 24(6):1151-1157, doi:10.1007/s00467-008-1097-2.
 - Zhao, L et al. (2009) Genome-wide association study for femoral neck bone geometry. *Journal of Bone and Mineral Research*, 25(2):320-329, doi:10.1359/jbmr.090726.
 - Zhu, G et al. (2009) CTLA4 gene polymorphisms are associated with chronic bronchitis. *European Respiratory Journal*, 34:598-604.

2008

- Abatepaulo, A et al. (2008) Detection of SNPs in bovine immune-response genes that may mediate resistance to

- the cattle tick *Rhipicephalus (Boophilus) microplus*. *Animal Genetics*, 39(3):328-329.
- Alachkar, H et al. (2008) Allelic mRNA expression of sortilin-1 (SORL1) mRNA in Alzheimer's autopsy brain tissues. *Neuroscience Letters*, 448(1):120-124, doi:10.1016/j.neulet.2008.10.034.
 - Amos, C et al. (2008) Genome-wide association scan of tag SNPs identifies a susceptibility locus for lung cancer at 15q25.1. *Nature Genetics*, 40(5):616-22.
 - Aquilante, C et al. (2008) Influence of SLC01B1 and CYP2C8 gene polymorphisms on rosiglitazone pharmacokinetics in healthy volunteers. *Human Genomics*, 3(1):7-16.
 - Ashworth, J et al. (2008) Polymorphisms spanning the 0N exon and promoter of the estrogen receptor-beta (ERβ) gene ESR2 are associated with venous ulceration. *Clinical Genetics*, 73(1):55-61.
 - Bae, J et al. (2008) Identification of SNP markers for common CNV regions and association analysis of risk of subarachnoid aneurysmal hemorrhage in Japanese population. *Biochemical and Biophysical Research Communications*, 373(4):593-596, doi:10.1016/j.bbrc.2008.06.083.
 - Ban, J et al. (2008) Association between Interleukin 31 Receptor A Gene Polymorphism and Schizophrenia in Korean Population. *Korean Journal of Physiology and Pharmacology*, 12(4):205-209, doi:10.4196/kjpp.2008.12.4.205.
 - Bourguinat, C et al. (2008) P-glycoprotein-like protein, a possible genetic marker for ivermectin resistance selection in *Onchocerca volvulus*. *Molecular and Biochemical Parasitology*, 158(2):101-111, doi:10.1016/j.molbiopara.2007.11.017.
 - Castelli, E et al. (2008) HLA-G polymorphism and transitional cell carcinoma of the bladder in a Brazilian population. *Tissue Antigens*, 72(2):149-157.
 - Chang, S et al. (2008) A Polymorphism of Fibrinogen Beta Chain (FGB) Gene is Not Associated with Autistic Spectrum Disorder in Korean Population. *Experimental Neurobiology*, 17(1):7-10.
 - Chen, H et al. (2008) Association of Skin Barrier Genes within the PSORS4 Locus Is Enriched in Singaporean Chinese with Early-Onset Psoriasis. *Journal of Investigative Dermatology*, 129:606-614, doi:10.1038/jid.2008.273.
 - Chinoy, H et al. (2008) The protein tyrosine phosphatase N22 gene is associated with juvenile and adult idiopathic inflammatory myopathy independent of the HLA 8.1 haplotype in British Caucasian patients. *Arthritis & Rheumatism*, 58(10):3247-3254, doi:10.1002/art.23900.
 - Chu, X et al. (2008) Association of Morbid Obesity With FTO and INSIG2 Allelic Variants. *Archives of Surgery*, 143(3):235-240.
 - Cogulu, O et al. (2008) Role of angiotensin-converting enzyme gene polymorphisms in children with sepsis and septic shock. *Pediatrics International*, 50(4):477-480.
 - Dai, Z et al. (2008) Genotyping panel for assessing response to cancer chemotherapy. *BMC Medical Genomics*, 1:24, doi:10.1186/1755-8794-1-24.
 - Davila, S et al. (2008) Genetic Association and Expression Studies Indicate a Role of Toll-Like Receptor 8 in Pulmonary Tuberculosis. *PLoS Genetics*, 4(10):e1000218, doi:10.1371/journal.pgen.1000218.
 - Davis, L et al. (2008) Cortical enlargement in autism is associated with a functional VNTR in the monoamine oxidase A gene. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, 147B(7):1145-1151, doi:10.1002/ajmg.b.30738.
 - DeLuca, V et al. (2008) Association of HPA axis genes with suicidal behaviour in schizophrenia. *Journal of Psychopharmacology*, 24(5):677-682, doi:10.1177/0269881108097817.
 - DeRosse, P et al. (2008) The Genetics of Symptom-Based Phenotypes: Toward a Molecular Classification of Schizophrenia. *Schizophrenia Bulletin*, 34(6):1047-1053, doi:10.1093/schbul/sbn076.
 - DeVos, L et al. (2008) Associations between single nucleotide polymorphisms in folate uptake and metabolizing genes with blood folate, homocysteine, and DNA uracil concentrations. *American Journal of Clinical Nutrition*, 88(4):1149-1158.
 - Donn, R et al. (2008) Genetic loci contributing to hemophagocytic lymphohistiocytosis do not confer susceptibility to systemic-onset juvenile idiopathic arthritis. *Arthritis & Rheumatism*, 58(3):869-874, doi:10.1002/art.23270.
 - Duzovali, O et al. (2008) Glutathione S-Transferases CYP2C9 and CYP2C19 Polymorphisms in Turkish Children with Cancer. *International Journal of Hematology and Oncology*, 4(18):201-207.
 - Garcia-Fructuoso, F et al. (2008) Identification of differential genetic profiles in severe forms of fibromyalgia and chronic fatigue syndrome/myalgic encephalomyelitis: a population-based genetic association study. *Journal of Clinical Research*, 11:1-24.
 - Golledge, J et al. (2008) Relationship between two sequence variations in the gene for peroxisome proliferator-activated receptor-gamma and plasma homocysteine concentration. *Human Genetics*, 123(1):35-40.
 - Han, D et al. (2008) Matrix Metalloproteinase 2 Gene Polymorphism is Associated with Obesity in Korean Population. *Korean Journal of Physiology and Pharmacology*, 12(3):125-129, doi:10.4196/kjpp.2008.12.3.125.
 - Hellard, S et al. (2008) Association between the insulin-induced gene 2 (INSIG2) and weight gain in a German